American Journal of Obstetrics and Gynecology

Editors

JOHN I. BREWER, Editor in Chief

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, Editors

ALBERT B. GERBIE, Associate Editor

HOWARD C. TAYLOR, JR., Emeritus Editor

Advisory committee on policy

William Droegemueller T. Terry Hayashi John C. Hobbins Walter S. Keifer Joseph B. McCoy, Jr. Edgar L. Makowski George D. Malkasian James A. Merrill Patrick T. Mohide W. Ann Reynolds

Board of corresponding editors

Oscar Aguero, Caracas Frederick Kubli, Heidelberg Pierre O. Hubinont, Brussels Malcolm Symonds, Nottingham Ichiro Taki, Fukuoka

Volume 144 September-December, 1982 The C. V. Mosby Company St. Louis 1982 in addition to those listed on the front cover the Journal is the official publication of the following societies

NEW YORK OBSTETRICAL SOCIETY OBSTETRICAL SOCIETY OF PHILADELPHIA BROOKLYN GYNECOLOGICAL SOCIETY ST. LOUIS GYNECOLOGICAL SOCIETY NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND CHICAGO GYNECOLOGICAL SOCIETY CINCINNATI OBSTETRICAL AND GYNCOLOGICAL SOCIETY WASHINGTON GYNECOLOGICAL SOCIETY PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY BOSTON OBSTETRICAL SOCIETY LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY SEATTLE GYNECOLOGICAL SOCIETY ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY KANSAS CITY GYNECOLOGICAL SOCIETY CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS AND OBSTETRICIANS NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY NEW YORK GYNECOLOGICAL SOCIETY PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY SAN FRANCISCO GYNECOLOGICAL SOCIETY JACKSON GYNECIC SOCIETY INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

Volume 144 Copyright © 1982 by The C. V. Mosby Company (All rights reserved)

THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

Printed in the United States of America

Index to volume 144

Author index*

ABBOUD, THERESE, ARTAL, RAUL, SARKIS, FARUK, HENRIKSEN, EVA H., and KAMMULA, RAO K. Sympathoadrenal activity, maternal, fetal, and neonatal responses after epidural anesthesia in the preeclamptic patient, 915 ABOULAFIA, MICHAEL (see YEH ET AL.), 519

ADAMS, ANNETTE (see STAUFFER ET AL.), 661

ALADJEM, S. (see PAZOS ET AL.), 574

ALBRECHT, EUGENE D. (see KNEUSSL, ANCES, and ALBRECHT), 803 ALCENA, VALIERE. Severe hemolytic anemia, leukemoid reaction, acidosis, hypokalemia, and transient hepatitis associated with the administration of ritodrine hydrochloride (Yutopar), 852 (Comm. in brief)

ALFI, OMAR (see PLATT ET AL.), 352

ALPERT, JOEL J. (see HINGSON ET AL.), 959 ANCES, I. G. (see KNEUSSL, ANCES, and ALBRECHT), 803

Andersch, Björn, and Milsom, Ian. An epidemiologic study of young women with dysmenorrhea, 655

ANDERSON, ANNE B. M. (see Sellers et al.), 209 ANDERSON, C. (see Pazos et al.), 574

ANDERSON, JOSEPH C. (see GOODLIN ET AL.), 990

ANDERSSON, KARL-ERIK (see FORMAN ET AL.), 442, 665

Andrews, Mason C., and Jones, Howard W., Jr. Impaired reproductive performance of the unicornuate uterus: Intrauterine growth retardation, infertility, and recurrent abortion

in five cases, 173 Artal, Raul (see Abboud et al.), 915

-(see GOLDE ET AL.), 556

-(see PLATT ET AL.), 352

ASMUSSEN, M. (see WESTBY, ASMUSSEN, and ULMSTEN), 408

AULETTA, FREDERICK J. (see CLAPP ET AL.), 47

Austin, June E. (see Clark, Austin, and Stys), 497

AVIGAD, ITAMAR (see SHALEV ET AL.), 855

Axelsson, Ove, and Englund, JAN. A radioimmunologic method applied for analyses of human placental lactogen on minimal amounts of capillary whole blood, 984 (Comm. in brief)

BACHMANN, GLORIA A., and KEMMANN, EKKEHARD. Prevalence of oligomenorrhea and amenorrhea in a college population, 98

BAIM, ROGER S. (see PERKES ET AL.), 935

BAKER, DAVID A., THOMAS, JOANNE, EPSTEIN, JUDY, POSSILICO, DOMINIC, and STONE, MARTIN L. The effect of prostaglandins on the multiplication and cell-to-cell spread of herpes simplex virus type 2 in vitro, 346

BAKER, V. V., CEFALO, ROBERT C., and DORTON, P. K. An unusual cause of pain after cesarean section, 982 (Comm. in brief)

BAKSHI, SURAJ (see PIVER ET AL.), 836 BALIS, JOHN U. (see SHELLEY ET AL.), 224

BARFIELD, WILLIAM E., JR. Wolff-Parkinson-White syndrome and peripartum cardiomyopathy in a pregnant patient, 989 (Comm. in brief)

Barker, G. H. (see Raju et al.), 650 Barlow, Joseph J. (see Piver et al.), 836 Barone, P. (see Chaudhuri et al.), 760

BARR, MASON, JR. (see RAYBURN and BARR), 110 BARR, ROBERT M. (see KELTON ET AL.), 449

BARRETT, JEFFREY M., and BOEHM, FRANK H. Comparison of aggressive and conservative management of premature rupture of fetal membranes, 12

BARRON, BRUCE A. (see YEH ET AL.), 519

BARTELS, EDWARD K. (see RUFF ET AL.), 850

BATTELLI, ANTHONY F. (see MUELLER-HEUBACH and BATTELLI), 796

BAUKNECHT, HARALD, VECSEI, PAUL, ENDRES, HERMANN, and HETTEN-BACH, ALBRECHT. Urinary free 18-hydroxycorticosterone, plasma aldosterone, and urinary aldosterone metabolites in normal pregnancy, 28

BAUMGARDNER, ROSEMARY (see WITTER ET AL.), 857

BAWDON, ROGER E., CUNNINGHAM, F. GARY, QUIRK, J. GERALD, and ROARK, MICKI L. Maternal and fetal pharmacokinetics of moxalactam given intrapartum, 546

BENDER, MERRILL A. (see PIVER ET Al.), 836

BENEDETTI, THOMAS J., VALLE, RENE, and LEDGER, WILLIAM J. Ante-

partum pneumonia in pregnancy, 413 BERK, PAUL D. (see GURPIDE ET AL.), 551

BERKOWITZ, RICHARD L., GLICKMAN, MORTON G., SMITH, WALKER, SIEGEL, NORMAN J., WEISS, ROBERT M., MAHONEY, MAURICE J., and HOBBINS, JOHN C. Fetal urinary tract obstruction: What is the role of surgical intervention in utero, 367 (Clinical opinion)

-(see MAYDEN ET AL.), 289

-(see ROMERO ET AL.), 356

BERKOWITZ, ROSS S., MOSTOUFIZADEH GH, MAHPAREH, KABAWAT, SALIM E., GOLDSTEIN, DONALD P., and DRISCOLL, SHIRLEY G. Immunopathologic study of the implantation site in molar pregnancy, 925

BHIWANDIWALA, POURU P., MUMFORD, STEPHEN D., and FELDBLUM, PAUL J. A comparison of different laparoscopic sterilization occlusion techniques in 24,439 procedures, 319

BLAKE, DAVID A. (see WITTER ET AL.), 857

BLAKE, PAMELA G. (see MORRISON, BLAKE, and REED), 268

BLANCO, J. D. (see GIBBS ET AL.), 261

BOEHM, FANK H. (see BARRETT and BOEHM), 12
BOEM, P., REITANO, S., and CIANCI, S. A new cervical perfusion method for induction of labor with prostaglandins, 476 (Comm. in brief)

BOHN, HANS (see RUTANEN and BOHN), 460

BOTTI, JOHN J., EDELSTONE, DANIEL I., CARITIS, STEVE N., and MUELLER-HEUBACH, EBERHARD. Portal venous blood flow distribution to liver and ductus venosus in newborn lambs, 303

BOTTOMS, SIDNEY F., KUHNERT, BETTY R., KUHNERT, PAUL M., and REESE, ANNE L. Maternal passive smoking and fetal serum thiocyanate levels, 787

BOTTONE, EDWARD (see SCHER ET AL.), 906

Bouis, Pierre J., Jr. (see Shelley et al.), 224

Bowes, Watson, Jr. (see Moore et al.), 423 Bracero, Luis (see Yeh et al.), 519 Bracken, Michael B. (see Eskenazi and Bracken), 919

(see MAYDEN ET AL.), 289

Braeuer, Norbert R. (see Wittich, Morales, and Braeuer), 109

BRANDES, JOSEPH M. (see GURPIDE ET AL.), 551 BRANDT, JOHN (see Weiner and Brandt), 234

Bremner, Roy D. (see Nisbet et al.), 396 Brenner, Paul F. (see Mashchar et al.), 511 Brewer, John I. (see Lurain et al.), 391 Brinkley, James F., McCallum, W. Desmond, Muramatsu, Saundra K., and LIU, DONNA YEE. Fetal weight estimation from ultrasonic three-dimensional head and trunk reconstructions: Evaluation in vitro, 715

BROUILLETTE, ROBERT T. (see PORTMAN and BROUILLETTE), 731 BROWN, DAVID R. (see MIRRO and BROWN), 851 BUCHSBAUM, HERBERT J. (see GAL ET AL.), 729 BUHI, WILLIAM C. (see QUINLAN ET AL.), 468, 471

BURCHELL, R. CLAY, SMITH, HOWARD L., TUTTLE, WANETA C., and THOMAS, DEBRA A. Collaborative practice in obstetrics/ gynecology: Implications for cost, quality, and productivity,

BURIOT, DIEGO (see HAUSSER and BURIOT), 112

BURKE, Louis. The use of the carbon dioxide laser in the therapy of cervical intraepithelial neoplasia, 337

BURRELL, MATTHEW O., FRANKLIN, ERNEST W., III, and POWELL, JOHN L. Endometrial cancer: Evaluation of spread and follow-up in one hundred eighty-nine patients with Stage I or Stage II disease, 181

^{*}September 1, 1-122; September 15, 123-242; October 1, 243-366; October 15, 367-490; November 1, 491-620; November 15, 621-744; December 1, 745-868; December 15, 869-1022.

C

CABALUM, T. C. (see NATHANIELSZ, Yu, and CABALUM), 614

CAIOLA, STEPHEN M. (see HANLON ET AL.), 778

CAMIEL, MORTIMER R., and SOLISH, GEORGE I. Desmoid tumor during pregnancy, 988 (Comm. in brief) CAMPBELL, KAREN (see PATRICK ET AL.), 533

CARITIS, STEVE N. (see BOTTI ET AL.), 303 CARLSON, HAROLD E. (see CHANG ET AL.), 402

CARMICHAEL, LESLEY (see PATRICK ET AL.), 533

CARPENTER, MARSHALL W., and COUSTAN, DONALD R. Criteria for screening tests for gestational diabetes, 768

CASADO, M. E. (see CROXATTO ET AL.), 201 CASTANEDA, Y. S. (see GIBBS ET AL.), 261

CASTILLO, MARIA (see SEITCHIK and CASTILLO), 899

CAVANAGH, DENIS (see RAO and CAVANAGH), 61

CECCACCI, LUIGI, JACOBS, JEROME, and POWELL, ARTHUR. Leiomyomatosis peritonealis disseminata: Report of a case in a nonpregnant woman, 105 (Comm. in brief)

CEDARD, L. (see HUBERT, MONDON, and CEDARD), 722

CEFALO, ROBERT C. (see BAKER, CEFALO, and DORTON), 982

(see SEEDS, CEFALO, and HERBERT), 243

CHAN, GARY M., SLATER, PATRICIA, RONALD, NONIE, ROBERTS, CHARLES C., THOMAS, M. RITA, FOLLAND, DAVID, and JACKSON, RICHARD. Bone mineral status of lactating mothers of different ages, 438

CHANG, R. JEFFREY, DAVIDSON, BERT J., CARLSON, HAROLD E., and JUDD, HOWARD L. Circadian pattern of prolactin secretion in postmenopausal women receiving estrogen with or without progestin, 402

CHASNOFF, IRA (see ROSNER, KEITH, and CHASNOFF), 23

CHAUDHURI, G., BARONE, P., LIANOS, E., HURD, M., LELE, A., and VENUTO, R. Uterine and peripheral blood concentrations of vasodilator prostaglandins in conscious pregnant rabbits, 760

CHAUHAN, PREM M. (see UNTAWALE, GABRIEL, and CHAUHAN), 482

CHERVENAK, FRANK A. (see ROMERO ET AL.), 356

Christensen, Merete S., Hagen, Claus, Christiansen, Claus, and Transbøl, Ib. Dose-response evaluation of cyclic estrogen/gestagen in postmenopausal women: Placebo-controlled trial of its gynecologic and metabolic actions, 873

CHRISTIANSEN, CLAUS (see CHRISTENSEN ET AL.), 873

CIANCI, S. (see BOEMI, REITANO, and CIANCI), 476

CLAPP, JAMES F., III, AULETTA, FREDERICK J., FARNHAM, JILL, LARROW, RODNEY W., and MANN, LEON I. The ovine fetoplacental

endocrine response to placental damage, 47

—, McLaughlin, Margaret K., Larrow, Rodney, Farnham, Jill, and Mann, Leon I. The uterine hemodynamic response to repetitive unilateral vascular embolization in the pregnant ewe, 309

CLARK, KENNETH E., AUSTIN, JUNE E., and STYS, STANLEY J. Effect of vasoactive intestinal polypeptide on uterine blood flow

in pregnant ewes, 497
–(see Miodovnik et al.), 585, 594

CLARK, STEVEN L., GIMOVSKY, MARTIN L., and MILLER, FRANK C. Fetal heart rate response to scalp blood sampling, 706

CLARKE, THOMAS A. (see RUFF ET AL.), 850

COHEN, A. W. (see SHAH ET AL.), 774 COHEN, CARMEL J. (see DELIGDISCH, JACOBS, and COHEN), 885

COHN, HERBERT E., PIASECKI, GEORGE J., and JACKSON, BENJAMIN T. The effect of β-adrenergic stimulation on fetal cardiovascular function during hypoxemia, 810 Colombo, Elena (see La Vecchia et al.), 387

COOPER, JAMES (see HAINER ET AL.), 67

COUSTAN, DONALD R. (see CARPENTER and COUSTAN), 768

COUTINHO, ELSIMAR M. Treatment of endometriosis with gestrinone (R-2323), a synthetic antiestrogen, antiprogesterone, 895

COWART, MARTHA R. (see DICKER ET AL.), 841 CROXATTO, H. B., DÍAZ, S., PERALTA, O., JUEZ, G., CASADO, M. E., SALVATIERRA, A. M., and DURAN, E. Fertility regulation in nursing women. II. Comparative performance of progesterone implants versus placebo and copper T,

Crum, Christopher P., Fu, Yao S., Levine, Richard U., Richart, Ralph M., Townsend, Duane E., and Fenoglio, Cecilia M. Intraepithelial squamous lesions of the vulva: Biologic and histologic criteria for the distinction of condylomas from vulvar intraepithelial neoplasia, 77

CRUZ, AMELIA C. (see QUINLAN ET AL.), 468, 471 CUNNINGHAM, F. GARY (see BAWDON ET AL.), 546

D

DADAK, CHRISTIAN, KEFALIDES, ACHILLEUS, SINZINGER, HELMUT, and Weber, Giorgio. Reduced umbilical artery prostacyclin formation in complicated pregnancies, 792

DANYLCHUK, PEG (see HAINER ET AL.), 67 DAVIDSON, BERT J. (see CHANG ET AL.), 402

DAVIS, JOHN R., WEINSTEIN, LOUIS, VEOMETT, IRIS C., SHENKER, Lewis, Giles, Harlan R., and Hauck, Lynn. Balanced translocation karyotypes in patients with repetitive abortion,

Dawes, Geoffrey S. (see Greene et al.), 950 DAWOOD, M. YUSOFF (see FUCHS ET AL.), 753

Day, Nancy (see Hingson et al.), 959 Degarli, Adriano (see La Vecchia et al.), 387

Deligdisch, Liane, Jacobs, Allan J., and Cohen, Carmel J. Histologic correlates of virulence in ovarian adenocarcinoma. II. Morphologic correlates of host response, 885

DEN, TIBERIUS (see LAUERSEN ET AL.), 890

DENNIS, BETTY H. (see HANLON ET AL.), 778 DESMOND, EDWARD (see SCHER ET AL.), 906

DeStefano, Frank (see Dicker et al.), 841

DEVORE, GREGGORY R., DONNERSTEIN, RICHARD L., KLEINMAN, CHARLES S., PLATT, LAWRENCE D., and HOBBINS, JOHN C. Fetal echocardiography. I. Normal anatomy as determined by real-time-directed M-mode ultrasound, 249 (Clinical

significance of a pericardial effusion in the fetus using real-time-directed M-mode ultrasound, 693

— (see Platt, DeVorr, and Gimovsky), 479
Diamant, Y. Z., Metzger, B. E., Freinkel, N., and Shafrir, E. Placental lipid and glycogen content in human and experimental diabetes mellitus, $5\,$

Diaz, S. (see Croxatto et al.), 201

DICKER, RICHARD C., GREENSPAN, JOEL R., STRAUSS, LILO T., COWART,
MARTHA R., SCALLY, MARK J., PETERSON, HERBERT B.,
DESTEFANO, FRANK, RUBIN, GEORGE L., and ORY, HOWARD W. Complications of abdominal and vaginal hysterectomy among women of reproductive age in the United States, 841

DINGFELDER, JAMES R. (see HANLON ET AL.), 778

DINI, MORTEZA M., and FAIFERMAN, ISIDORO. Sequential in vitro reactivity of lymphocytes from patients with cervical squamous malignancy in a cytotoxicity assay, 341
DIVERS, WALTER A., JR., STEWART, ROGER D., WILKES, MAHLON M.,

and Yen, Samuel S. C. Amniotic fluid β -endorphin and α -melanocyte-stimulating hormone immunoreactivity in normal and complicated pregnancies, 539

DOHERTY, FREDERICK J. (see GADZIALA ET AL.), 355
DONNERSTEIN, RICHARD L. (see DEVORE ET AL.), 249, 693
DORTON, P. K. (see BAKER, CEFALO, and DORTON), 982
DOUGHERTY, C. R. S., and JONES, A. D. The determinants of birth weight, 190

Dozono-Takano, Ryoko (see Mashchak et al.), 511 DRISCOLL, SHIRLEY G. (see BERKOWITZ ET AL.), 925

DURÁN, E. (see CROXATTO ET AL.), 201

EARN, A. A. The partographic labor board: An alternative for earlier decisions regarding management during labor, 858 (Comm. in brief)

EDELMAN, DAVID A. (see HANLON ET AL.), 778
EDELMTONE, DANIEL I. (see BOTTI ET AL.), 303
EDEN, ROBERT D., GERGELY, ROBERT Z., SCHIFRIN, BARRY S., and
WADE, MACLYN E. Comparison of antepartum testing schemes for the management of the postdate pregnancy, 683

EFFER, SIDNEY B. (see KELTON ET AL.), 449

EGGENA, PETER (see MASHCHAR ET AL.), 511

ELIAS, ALAN N., SZEKERES, AGNES V., STONE, SERGIO, and VALENTA,
LUBOMIR J. A presumptive role for gamma-aminobutyric
acid in the regulation of gonadotropin secretion in man, 72

ENDRES, HERMANN (see BAUKNECHT ET AL.), 28 ENGLUND, JAN (see AXELSSON and ENGLUND), 984

ENTMAN, STEPHEN S., RICHARDSON, L. DOUGLAS, and KILLAM, ALLEN P. Elevated serum ferritin in the altered ferrokinetics of toxemia of pregnancy, 418

EPSTEIN, JEANNE A. (see SCHMIDT ET AL.), 601

EPSTEIN, JUDY (see BAKER ET AL.), 346

ESKENAZI, BRENDA, and BRACKEN, MICHAEL B. Bendectin (Debendox)

as a risk factor for pyloric stenosis, 919 ESKES, T. K. A. B. (see VAN GEELEN ET AL.), 636

FAIFERMAN, ISIDORO (see DINI and FAIFERMAN), 341

FARNHAM, JILL (see CLAPP ET AL.), 47, 309

FARO, SEBASTIAN (see PLAUCHÉ, FARO, and LETELLIER), 167

FELDBLUM, PAUL J. (see BHIWANDIWALA, MUMFORD, and FELDBLUM), 319

FENOGLIO, CECILIA M. (see CRUM ET AL.), 77

FIELDEN, JUNY G. (see Pearse et al.), 332 Fleischer, Adiel, Schulman, Harold, Jagani, Naseem, Mitchell, JANET, and RANDOLPH, GEORGIA. The development of fetal acidosis in the presence of an abnormal fetal heart rate tracing. I. The average for gestational age fetus, 55

FOLLAND, DAVID (see CHAN ET AL.), 438

FORMAN, AXEL, GANDRUP, PER, ANDERSSON, KARL-ERIK, and ULMSTEN, U.F. Effects of nifedipine on spontaneous and methylergometrine-induced activity post partum, 442 —, and —. Effects of nifedipine on oxytocin- and prostaglandin $F_{2\alpha}$ -induced activity in the postpartum uterus,

665

FORNEY, J. PETER (see GAL ET AL.), 729 Forss, M. (see Kariniemi et al.), 43

FOX, HAROLD E., HOHLER, CHARLES W., and STEINBRECHER, MARGARET. Human fetal breathing movements after carbohydrate ingestion in fasting and nonfasting subjects,

-(see REECE, Fox, and RAPOPORT), 985

FRANCESCHI, SILVIA (see LA VECCHIA ET AL.), 387

Francis, Larry N. (see Hebert, Francis, and Ostergard), 828

FRANKEL, YAIR (see SHALEV ET AL.), 855

Franklin, Ernest W., III (see Burrell, Franklin, and Powell), 181

FREINKEL, N. (see DIAMANT ET AL.), 5

FRIEDRICH, EDUARD G., JR. The redistribution of benign gynecologic surgery, 177
FROHLICH, GARY (see PLATT ET AL.), 352

FU, YAO S. (see CRUM ET AL.), 77

FUCHS, ANNA-RIITTA, HUSSLEIN, PETER, SUMULONG, LINDA, MICHA, JOHN P., DAWOOD, M. YUSOFF, and FUCHS, FRITZ. Plasma levels of oxytocin and 13,14-dihydro-15 keto prostaglandin F_{2α} in preterm labor and the effect of ethanol and ritodrine, 753

FUCHS, FRITZ (see FUCHS ET AL.), 753

Gabbe, S. G. (see Shah et al.), 774 Gabriel, Juan B., Jr. (see Untawale, Gabriel, and Chauhan), 482 Gadziala, Nancy A., Kawada, Charles Y., Doherty, Frederick J., and Koza, Douglas J. Intrauterine decompression of megalocystis during the second trimester of pregnancy, 355 (Comm. in brief)

GAL, DAVID, BUCHSBAUM, HERBERT J., VOET, RICHARD, and FORNEY,
J. PETER. Massive ascites with uterine leiomyomas and ovarian vein thrombosis, 729

GALLUP, DONALD G., LABUDOVICH, MARCO, and ZAMBITO, PAUL R. The gynecologist and the dying cancer patient, 154

GALLUS, GIUSEPPE (see LA VECCHIA ET AL.), 387

GANDRUP, PER (see FORMAN ET AL.), 442, 665 VAN GEELEN, J. M., LEMMENS, W. A. J. G., ESKES, T. K. A. B., and MARTIN, CHESTER B., Jr. The urethral pressure profile in pregnancy and after delivery in healthy nulliparous women,

GERGELY, ROBERT Z. (see EDEN ET AL.), 683

GIBBS, R. S., BLANCO, J. D., CASTANEDA, Y. S., and St. CLAIR, P. J. A double-blind, randomized comparison of clindamycingentamicin versus cefamandole for treatment of postcesarean section endomyometritis, 261

GILES, HARLAN R. (see DAVIS ET AL.), 229

GIMOVSKY, MARTIN L. (see CLARK, GIMOVSKY, and MILLER), 706

(see PLATT, DEVORE, and GIMOVSKY), 479

GINSBURG, DAVID A. (see KELTON ET AL.), 449 GLICKMAN, MORTON G. (see BERKOWITZ ET AL.), 367

GOEBELSMANN, UWE (see SHAABAN ET AL.), 560

GOLDE, STEVEN H., GOOD-ANDERSON, BEVERLY, MONTORO, MARTIN, and ARTAL, RAUL. Insulin requirements during labor: A reappraisal, 556

-(see Petrucha, Golde, and Platt), 931

— (see Platt et al.), 352

Golden, Stephen M., O'Brien, William F., and Metz, Stephen A.

Anticoagulation of autologous cord blood for neonatal resuscitation, 103 (Comm. in brief)

GOLDSTEIN, DONALD P. (see BERKOWITZ ET AL.), 925 GOOD-ANDERSON, BEVERLY (see GOLDE ET AL.), 556

GOODLIN, ROBERT C., SCOTT, JOSEPH C., JR., WOODS, RALPH E., and ANDERSON, JOSEPH C. Laparoelytrotomy or abdominal delivery without uterine incision, 990 (Comm. in brief)

GOODMAN, KENNETH J. (see PERKES ET AL.), 935

GORWILL, R. HUGH, STEELE, HOWARD D., and SARDA, INDER R. Heterotopic columnar epithelium and adenosis in the vagina of the mouse after neonatal treatment with clomiphene citrate, 529

GOTTFRIED, EUGENE L. (see MAGID, PERLIN, and GOTTFRIED), 910

GOULD, JEFFREY B. (see HINGSON ET AL.), 959 GRANGER, LOUIS R., ROY, SUBIR, and MISHELL, DANIEL R., JR. Changes in unbound sex steroids and sex hormone binding globulinbinding capacity during oral and vaginal progestogen administration, 578

GRAVES, ZOË R. (see LAUERSEN ET Al.), 890

GRAY, T. K., McAdoo, T., HATLEY, L., LESTER, G. E., and THIERRY, M. Fluctuation of serum concentration of 1,25-dihydroxyvitamin D₃ during the menstrual cycle, 880

GREENE, KEITH R., DAWES, GEOFFREY S., LILJA, HÅKAN, and ROSÉN, K.-G. Changes in the ST waveform of the fetal lamb electrocardiogram with hypoxemia, 950

GREENSPAN, JOEL R. (see DICKER ET AL.), 841

GREISS, FRANK C., JR. (see JONES and GREISS), 149

GURPIDE, ERLIO, MARKS, CYNTHIA, DE ZIEGLER, DOMINIQUE, BERK, PAUL D., and BRANDES, JOSEPH M. Asymmetric release of estrone and estradiol derived from labeled precursors in perfused human placentas, 551

HAGEN, CLAUS (see CHRISTENSEN ET AL.), 873

HAINER, BARRY L., DANYLCHUK, PEG, COOPER, JAMES, and WEART, C. WAYNE. Limulus lysate assay in detection of gonorrhea in women from a low-incidence population, 67 HAMMOND, CHARLES B. (see SMITH ET AL.), 88

HANEY, A. F. (see MUSCATO, HANEY, and WEINBERG), 503

HANLON, JOSEPH T., CAIOLA, STEPHEN M., MUHLBAIER, LAWRENCE H., DENNIS, BETTY H., EDELMAN, DAVID A., and DINGFELDER, JAMES R. An evaluation of the sensitivity of five home pregnancy tests to known concentrations of human chorionic gonadotropin, 778

HARDING, PAUL G. (see Las Heras, HARDING, and HAUST), 480

HARRINGTON, DEBORAH J. (see MIODOVNIK ET AL.), 585, 594 HARRIS, J. L., KRUEGER, T. R., and PARER, J. T. Mechanisms of late decelerations of the fetal heart rate during hypoxia, 491

HARRIS, J. PETER (see RUFF ET AL.), 850 HASHIMOTO, TADASHI (see MURATA ET AL.), 218

HATLEY, L. (see GRAY ET AL.), 880

HAUCK, LYNN (see DAVIS ET AL.), 229

HAUSSER, CHRISTIAN, and BURIOT, DIEGO. Gamma globulin therapy during pregnancy in mother with hypogammaglobulinemia, 112 (Comm. in brief)

HAUST, M. DARIA (see LAS HERAS, HARDING, and HAUST), 480

HEBERT, DAVID B., FRANCIS, LARRY N., and OSTERGARD, DONALD R. Significance of urethral vascular pulsations in genuine stress urinary incontinence, 828

HEDING, LISE G. (see PERSSON ET AL.), 455 HEEREN, TIMOTHY (see HINGSON ET AL.), 959 HENRIKSEN, EVA H. (see ABBOUD ET AL.), 915

HENRIKSSON, LARS (see ULMSTEN HENRIKSSON, and IOSIF), 93

HERBERT, WILLIAM N. P. (see SEEDS, CEFALO, and HERBERT), 243

HERSHEY, DOUGLAS W. (see MOORE ET AL.), 423

HETTENBACH, ALBRECHT (see BAUKNECHT ET AL.), 28

HINGSON, RALPH, GOULD, JEFFREY B., MORELOCK, SUZETTE, KAYNE, HERBERT, HEEREN, TIMOTHY, ALPERT, JOEL J., ZUCKERMAN, BARRY, and DAY, NANCY. Maternal cigarette smoking, psychoactive substance use, and infant Apgar scores, 959

HOBBINS, JOHN C. (see BERKOWITZ ET AL.), 367, 693 -(see DEVORE ET AL.), 249

-(see MAYDEN ET AL.), 289

— (see Romero et al.), 356 Hodgson, Helena T. (see Sellers et al.), 209

HOFFMAN, DAVID I. (see SHAABAN ET AL.), 560

HOHLER, CHARLES W. (see Fox, HOHLER, and STEINBRECHER), 213

HOMER, MARC J. (see MITCHELL and HOMER), 127

HOPWOOD, HERBERT G., JR. Shoulder dystocia: Fifteen years' experi-

ence in a community hospital, 162 HORNE, CHARLES H. W. (see NISBET ET AL.), 396

HUBERT, C., MONDON, F., and CEDARD, L. Biologic activity and quantification of messenger RNA coding for human chorionic somatomammotropin in normal and intrauterine growth-retarded pregnancies, 722 HULKA, JAROSLAV F. Adnexal adhesions: A prognostic staging and classification system based on a five-year survey of fertility surgery results at Chapel Hill, North Carolina, 141

HUNG, TRAN T. (see SHAABAN ET AL.), 560 HUNTER, DAVID (see KELTON ET AL.), 449

HURD, M. (see CHAUDHURI ET AL.), 760
HUSEBY, ROBERT A., and THURLOW, SALLY. Effects of prenatal exposure of mice to "low-dose" diethylstilbestrol and the development of adenomyosis associated with evidence of hyperprolactinemia, 939

HUSSLEIN, PETER (see Fuchs et al.), 753

HUTCHERSON, HILDA (see REECE, PETRIE, and HUTCHERSON), 849

IKENOUE, TSUYOMU (see MURATA ET AL.), 218 ILIESCU, CONSTANTINE (see LAUERSEN ET AL.), 890 INWOOD, MARTIN J. (see KELTON ET AL.), 449 IOSIF, SERAFIM (see ULMSTEN, HENRIKSSON, and IOSIF), 93

JACKSON, BENJAMIN T. (see COHN, PIASECKI, and JACKSON), 810 JACKSON, RICHARD (see CHAN ET AL.), 438

JACOBS, ALLAN J. (see DELIGDISCH, JACOBS, and COHEN), 885 Jacobs, Jerome (see Ceccacci, Jacobs, and Powell), 105 Jacobson, Jay A. (see Noble, Jacobson, and Smith), 186

AGANI, NASEEM (see FLEISCHER ET AL.), 55 JAHNIGEN, DENNIS (see MOORE ET AL.), 423

JONES, A. D. (see DOUGHERTY and JONES), 190

JONES, CHARLES M., III., and GREISS, FRANK C., JR. The effect of labor on maternal and fetal circulating catecholamines, 149

Jones, Howard W., Jr. (see Andrews and Jones), 173 Jones, J. Mary (see Raju et al.), 650 DE JONG, P. A. (see LIEVAART and DE JONG), 376

JUDD, HOWARD L. (see CHANG ET AL.), 402 JUEZ, G. (see CROXATTO ET AL.), 201

KABAWAT, SALIM E. (see BERKOWITZ ET AL.), 925 KAMMULA, RAO K. (see ABBOUD ET AL.), 915 KAPLAN, JAY R. (see MEIS ET AL.), 543

KAPP, MARSHALL B. Abortion and informed consent requirements, 1 (Clinical opinion)

KARINIEMI, V., FORSS, M., LEHTOVIRTA, P., and RAURAMO, I. Significant correlation between maternal hemodynamics and fetal heart rate variability, 43

KAWADA, CHARLES Y. (see GADZIALA ET AL.), 355 KAYNE, HERBERT (see HINGSON ET AL.), 959 KEFALIDES, ACHILLEUS (see DADAK ET AL.), 792

KEITH, LOUIS (see ROSNER, KEITH, and CHASNOFF), 23

KELSICK, FRANCES, and MINKOFF, HOWARD. Management of the breech

second twin, 783

Kelton, John G., Inwood, Martin J., Barr, Robert M., Effer,
Sidney B., Hunter, David, Wilson, William E., Ginsburg,
David A., and Powers, Peter J. The prenatal prediction of thrombocytopenia in infants of mothers with clinically

diagnosed immune thrombocytopenia, 449
KEMMANN, EKKEHARD (see BACHMANN and KEMMANN), 98 KILLAM, ALLEN P. (see ENTMAN, RICHARDSON, and KILLAM), 418 KILPATRICK, SARAH J. (see MOAWAD, RIVER, and KILPATRICK), 608

KLEINMAN, CHARLES S. (see DEVORE ET Al.), 249, 693 KLETZKY, OSCAR A. (see VARGYAS ET AL.), 569

KNEUSSL, ERIC S., ANCES, I. G., and ALBRECHT, EUGENE D. A specific cytosolic estrogen receptor in human term placenta, 803

KNUPPEL, ROBERT A. (see SHELLEY ET Al.), 224 KORITNIK, DONALD R. (see MEIS ET AL.), 543 KOZA, DOUGLAS J. (see GADZIALA ET AL.), 355

KRUEGER, T. R. (see HARRIS, KRUEGER, and PARER), 491

KUHNERT, BETTY R. (see BOTTOMS ET AL.), 787 KUHNERT, PAUL M. (see BOTTOMS ET AL.), 787

KUŹNIAR, J., PIELA, A., SKRET, A., SZMIGIEL, ZB., and ZACZEK, T. Echocardiographic estimation of hemodynamics in hypertensive pregnancy, 430

LABUDOVICH, MARCO (see GALLUP, LABUDOVICH, and ZAMBITO), 154

LARROW, RODNEY W. (see CLAPP ET AL.), 47, 309

LAS HERAS, JORGE, HARDING, PAUL G., and HAUST, M. DARIA. Recurrent bleeding associated with placental membranacea partialis: Report of a case, 480

LAUERSEN, NIELS H., DEN, TIBERIUS, ILIESCU, CONSTANTINE, WILSON, KATHLEEN H., and GRAVES, ZOE R. Cervical priming prior to dilatation and evacuation: A comparison of methods, 890

La Vecchia, Carlo, Franceschi, Silvia, Gallus, Giuseppe, Decarli, ADRIANO, COLUMBO, ELENA, LIBERATI, ALESSANDRO, and TOGNONI, GIANNI. Prognostic features of endometrial cancer in estrogen users and obese women, 387

LAVERY, J. PATRICK (see STAUFFER, WYGAL, and LAVERY), 104

(see STAUFFER ET AL.), 661

LAVIN, JUSTIN P. (see MIODOVNIK ET AL.), 585, 594

LAYDE, PETER M. (see RUBIN, ORY, and LAYDE), 630

Ledger, William J. (see Benedetti, Valle, and Ledger), 413 Lehtovirta, P. (see Kariniemi et al..), 43 Lele, A. (see Chaudhuri et al.), 760

LELE, SHASHIKANT B. (see PIVER ET AL.), 836

LEMMENS, W. A. J. G. (see VAN GEELEN ET AL.), 636

LESTER, G. E. (see GRAY ET AL.), 880

LETELLIER, RITA (see PLAUCHÉ, FARO, and LETELLIER), 167

LEUNG, LIM S. (see MIODOVNIK ET AL.), 585, 594 LEVINE, RICHARD U. (see CRUM ET AL.), 77 LEWANDER, R. (see NYLUND ET AL.), 298

LIANOS, E. (see CHAUDHURI ET AL.), 760

LIBERATI, ALESSANDRO (see LA VECCHIA ET AL.), 387

LIEVAART, M., and DE JONG, P. A. Neonatal morbidity in deliveries conducted by midwives and gynecologists, 376 (Clinical opinion)

LILJA, HÅKAN (see GREENE ET AL.), 950 LIN, CHIN-CHU (see SHOLL ET AL.), 709

LING, FRANK W. (see SOLOLA, RYAN, and LING), 351

LITMEYER, HEINZ (see PENN, SCHMIDT-SOMMERFELD, and LITMEYER), 981

LIU, DONNA YEE (see BRINKLEY ET AL.), 715
LIU, Te-Lin. Preliminary report on the treatment of severe preeclampsia-eclampsia with magnesium sulfate and volume expanders, 983 (Comm. in brief)

LOBO, ROGERIO A. (see MASHCHAK ET AL.), 511

-(see Shaaban et al.), 560

Lotgering, Fred K., Wallenburg, Henk C. S., and Schouten, Hubert J. A. Interobserver and intraobserver variation in the assessment of antepartum cardiotocograms, 701

LUECK, J. (see PAZOS ET AL.), 574 LUNELL, N.-O. (see NYLUND ET AL.), 298

(see Persson et al.), 455

LURAIN, JOHN R., BREWER, JOHN I., MAZUR, MICHAEL T., and TOROK, ELIZABETH E. Fatal gestational trophoblastic disease: An analysis of treatment failures, 391

McAdoo, T. (see Gray et al.), 880

McCallum, W. Desmond (see Brinkley et al.), 715

MCKINNA, J. A. (see RAJU ET AL.), 650

McLaughlin, Margaret K. (see Clapp et al.), 309

MACRI, JAMES N. (see PERKES ET AL.), 935

McWey, Linda A., Singhas, Charles A., and Rogol, Alan D. Prolactin binding sites on human chorion-decidua tissue, 283
MAGID, MARGRET S., PERLIN, MARTIN, and GOTTFRIED, EUGENE L.
Increased erythrocyte osmotic fragility in pregnancy, 910

MAHONEY, MAURICE J. (see BERKOWITZ ET AL.), 367 MANN, LEON I. (see CLAPP ET AL.), 47, 309

Marks, Cynthia (see Gurpide et al..), 551 Marks, Richard P. (see Vargyas et al..), 569

MARTIN, CHESTER B., JR. (see VAN GEELEN ET AL.), 636 -(see MURATA ET AL.), 218

MARTIN, MAGDELINE (see QUINLAN ET AL.), 468, 471

MASHCHAK, C. ANN, LOBO, ROGERIO A., DOZONO-TAKANO, RYOKO, EGGENA, PETER, NAKAMURA, ROBERT M., BRENNER, PAUL F., and MISHELL, DANIEL R., JR. Comparison of pharmacodynamic properties of various estrogen formulations, 511 MASHIACH, SHLOMO (see SHALEV ET AL.), 855

MATHUR, R. S. (see PERESS ET AL.), 135, 474

MAY, C. (see SHAH ET AL.), 774

MAYDEN, KARA L., TORTORA, MARGE, BERKOWITZ, RICHARD L., BRACKEN, MICHAEL, and HOBBINS, JOHN C. Orbital diameters: A new parameter for prenatal diagnosis and dating, 289

MAZUR, MICHAEL T. (see LURAIN ET AL.), 391
MEIER, PAUL R., and PORRECO, RICHARD P. Trial of labor following cesarean section: A two-year experience, 671

Meis, Paul J., Kaplan, Jay R., Koritnik, Donald R., and Rose, JAMES C. Effects of gestation on glucose tolerance and plasma insulin in cynomolgus monkeys (Macaca fascicularis), 543

MELLITS, E. DAVID (see WITTER ET AL.), 857 MENDENHALL, ROBERT C. (see PEARSE ET AL.), 332

METZ, STEPHEN A. (see GOLDEN, O'BRIEN, and METZ), 103

METZGER, B. E. (see DIAMANT ET AL.), 5 MICHA, JOHN P. (see FUCHS ET AL.), 753

MILLER, FRANK C. (see CLARK, GIMOVSKY, and MILLER), 706

MILLER, KATHERINE E., and PIZZO, SALVATORE V. Venous and arterial thromboembolic disease in women using oral contraceptives, 824

MILSOM, IAN (see Bjorn and Milsom), 655

MINKOFF, HOWARD (see KELSICK and MINKOFF), 783

MIODOVNIK, MENACHEM, LAVIN, JUSTIN P., HARRINGTON, DEBORAH J., Leung, Lim S., Seeds, Asa E., and Clark, Kenneth E. Effect of maternal ketoacidemia on the pregnant ewe and the fetus, 585

-, and --. Cardiovascular and biochemical effects of infusion of beta hydroxybutyrate into the fetal lamb, 594

MIRRO, ROBERT, and BROWN, DAVID R. Edema, proteinuria, thrombocytopenia, and leukopenia in infants of preeclamptic mothers, 851 (Comm. in brief)

MISHELL, DANIEL R., JR. (see GRANGER, ROY, and MISHELL), 578

(see MASHCHAK ET AL.), 511 -(see VARGYAS ET AL.), 569

MITCHELL, GEORGE W., JR., and HOMER, MARC J. Outpatient breast

biopsies on a gynecologic service, 127 MITCHELL, JANET (see FLEISCHER ET AL.), 55 MITCHELL, M. D. (see SELLERS ET AL.), 209

MOAWAD, ATEF H., RIVER, L. PHILIP, and KILPATRICK, SARAH J. The effect of estrogen and progesterone on β-adrenergic receptor activity in rabbit lung tissue, 608

-(see SHOLL ET AL.), 709

MONDON, F. (see HUBERT, MONDON, and CEDARD), 722

MONTORO, MARTIN (see GOLDE ET AL.), 556

MOORE, LORNA GRINDLAY, HERSHEY, DOUGLAS W., JAHNIGEN, DENNIS, and Bowes, Watson, Jr. The incidence of pregnancyinduced hypertension is increased among Colorado residents at high altitude, 423

MORALES, HERNAN (see WITTICH, MORALES, and BRAEUER), 109

MORELOCK, SUZETTE (see HINGSON ET AL.), 959 MORRISON, JOHN C., BLAKE, PAMELA G., and REED, CLARICE D. Therapy for the pregnant patient with sickle hemoglobinopathies: A national focus, 268

MOSTOUFIZADEH GH, MAHPAREH (see BERKOWITZ ET AL.), 925

MUELLER-HEUBACH, EBERHARD, and BATTELLI, ANTHONY F. Variable heart rate decelerations and transcutaneous Po2 during umbilical cord occlusion in fetal monkeys, 796

-(see BOTTI ET AL.), 303

MUHLBAIER, LAWRENCE H. (see HANLON ET AL.), 778

MUMFORD, STEPHEN D. (see BHIWANDIWALA, MUMFORD, and FELD-BLUM), 319

MURAMATSU, SAUNDRA K. (see BRINKLEY ET AL.), 715
MURATA, YUJI, MARTIN, CHESTER B., JR., IKENOUE, TSUYOMU, HASHIMOTO, TADASHI, TAIRA, SHOZO, SAGAWA, TADASHI, and SAKATA, HISAEI. Fetal heart rate accelerations and late decelerations during the course of intrauterine death in chronically catheterized rhesus monkeys, 218

MURTHA, LOUISE (see YEH ET AL.), 519

Muscato, Joseph J., Haney, A. F., and Weinberg, J. Brice. Sperm phagocytosis by human peritoneal macrophages: A possible cause of infertility in endometriosis, 503

NAKAMURA, ROBERT M. (see MASHCHAK ET AL.), 511
NATHANIELSZ, P. W., YU, H. K., and CABALUM, T. C. Effect of abolition of fetal movement on fetal intravascular Po, and incidence of tonic myometrial contractures in the pregnant ewe at 114 to 134 days' gestation, 614

Nelson, Lewis H., and Reiff, Robert H. Megacystis-microcolonhypoperistalsis syndrome and anechoic areas in the fetal abdomen, 464

NG, WON G. (see PLATT ET AL.), 352

NIEBYL, JENNIFER R. (see WITTER ET AL.), 857

NILES, RICHARD A. Puerperal tuberculosis with death of infant, 131

NISBET, ANDREW D., BREMNER, ROY D., HORNE, CHARLES H. W., and OKAGAKI, TAKASHI. Placental protein 5 in gestational tro-phoblastic disease: Localization and circulating levels, 396

NOBLE, VICI S., JACOBSON, JAY A., and SMITH, CHARLES B. The effect of menses and use of catamenial products on cervical carriage of staphylococcus, 186

NYLUND, L., LUNELL, N.-O., LEWANDER, R., PERSSON, B., and SARBY, B. Uteroplacental blood flow in diabetic pregnancy: Measurements with indium 113m and a computer-linked gamma camera, 298

O'BRIEN, GREGORY D., and QUEENAN, JOHN T. Ultrasound fetal femur length in relation to intrauterine growth retardation. Part II, 35

O'BRIEN, S. (see SURTI, SZULMAN, and O'BRIEN), 84

O'BRIEN, WILLIAM F. (see GOLDEN, O'BRIEN, and METZ), 103 OKAGAKI, TAKASHI (see NISBET ET AL.), 396

ORY, HOWARD W. (see RUBIN, ORY, and LAYDE), 630

(see DICKER ET AL.), 841

OSTERGARD, DONALD R. (see HEBERT, FRANCIS, and OSTERGARD), 828

PACIGA, JUNE E. (see SHELLEY ET AL.), 224

PARER, J. T. (see HARRIS, KRUEGER, and PARER), 491

PARTHASARATHY, KONDIAH L. (see PIVER et al.), 836
PATRICK, JOHN, CAMPBELL, KAREN, CARMICHAEL, LESLEY, and PROBERT, CARL. Influence of maternal heart rate and gross fetal body movements on the daily pattern of fetal heart rate near term, 533

PAUL, RICHARD H. (see PEARSE and PAUL), 40

PAZOS, R., VUOLO, K., ALADJEM, S., LUECK, J., and ANDERSON, C. Association of spontaneous fetal neart rate decelerations during antepartum nonstress testing and intrauterine growth retardation, 574

PEARCE, PHILIP H. Leiomyomatosis peritonealis disseminata, 133 PEARSE, KEITH E., and PAUL, RICHARD H. Comparison of fetal scalp blood pH measurement with an automated blood microprocessor and a clinical blood gas laboratory, 40

PEARSE, WARREN H., MENDENHALL, ROBERT C., RADECKI, STEPHEN E., SHIPP, DENESE A., and FIELDEN, JUDY G. Manpower for obstetrics-gynecology. III. Contributions to total female medical care, 332

Pearson Murphy, Beverley E. Human fetal cortisol levels related to gestational age: Evidence of a midgestational fall and a steep late gestational rise, independent of sex or mode of delivery, 276

PENN, DUNA, SCHMIDT-SOMMERFELD, EBERHARD, and LITMEYER, HEINZ. Postnatal respiratory difficulties associated with "incomplete" surfactant, 981 (Comm. in brief)

Peralta, O. (see Croxatto et al.), 201
Peress, M. R., Sosnowski, J. R., Mathur, R. S., and Williamson,
H. O. Pelvic endometriosis and Turner's syndrome, 474 (Comm. in brief)

-, TSAI, C. C., MATHUR, R. S., and WILLIAMSON, H. OLIVER. HIRSUITism and menstrual patterns in women exposed to diethyl-stilbestrol in utero, 135

PERKES, EDWARD A., BAIM, ROGER S., GOODMAN, KENNETH J., and MACRI, JAMES N. Second-trimester placental changes associated with elevated maternal serum a-fetoprotein, 935

Perlin, Martin (see Magid, Perlin, and Gottfried), 910 Persson, Bengt, Heding, Lise G., Lunell, Nils Olov, Pschera, Helmut, Stangenberg, Magnus, and Wager, Jan. Fetal beta cell function in diabetic pregnancy, 455

-(see NYLUND ET AL.), 298

PETERSON, HERBERT B. (see DICKER ET AL.), 841

PETRIE, ROY H. (see REECE, PETRIE, and HUTCHERSON), 849

PETRUCHA, RUTH A., and PLATT, LAWRENCE D. Relationship of placental grade to gestational age, 733
GOLDE, STEVEN H., and PLATT, LAWRENCE D. The use of ultra-

sound in the prediction of fetal pulmonary maturity, 931

PHELAN, JEFFREY P., and YURTH, DANIEL A. Severe preeclampsia.

I. Peripartum hemodynamic observations, 17

Piasecki, George J. (see Cohn, Piasecki, and Jackson), 810 Piela, A. (see Kuźniar et al.), 430

Piver, M. Steven, Barlow, Joseph J., Lele, Shashikant B., Bakshi, SURAJ, PARTHASARATHY, KONDIAH L., and BENDER, MERRILL A. Intraperitoneal chromic phosphate in peritoneoscopically confirmed Stage I ovarian adenocarcinoma, 836

PIZZO, SALVATORE V. (see MILLER and PIZZO), 824

PLATT, LAWRENCE D., DEVORE, GREGGORY R., and GIMOVSKY, MARTIN L. Failed amniocentesis: The role of membrane tenting, 479 (Comm. in brief)

—, GOLDE, STEVEN H., ARTAL, RAUL, FROHLICH, GARY, ALFI, OMAR, and NG, WON G. False negative maternal serum alphafetoprotein determinations in myelodysplasia: The role of ultrasound, 352 (Comm. in brief)

—(see Petrucha and Platt), 733

-(see Petrucha, Golde, and Platt), 931

-(see YEE, Tu, and PLATT), 726

—(see DeVore et al.), 249, 693 Plauché, Warren C., Faro, Sebastian, and Letellier, Rita. Phosphatidylglycerol and fetal lung maturity, 167 PORRECO, RICHARD P. (see Meier and Porreco), 671

PORTMAN, MICHAEL A., and BROUILLETTE, ROBERT T. Fatal intracranial hemorrhage complicating amniocentesis, 731

Possilico, Dominic (see Baker et al.), 346

Powell, Arthur (see Ceccacci, Jacobs, and Powell), 105 POWELL, JOHN L. (see BURRELL, FRANKLIN, and POWELL), 181 POWERS, PETER J. (see KELTON ET AL.), 449

PROBERT, CARL (see PATRICK ET AL.), 533 PSCHERA, HELMUT (see PERSSON ET AL.), 455

QUEENAN, JOHN T. (see O'BRIEN and QUEENAN), 35

QUINLAN, R. WILLIAM, CRUZ, AMELIA C., BUHI, WILLIAM C., and MARTIN, MAGDELINE. Changes in placental ultrasonic appearance. I. Incidence of Grade III changes in the placenta in correlation to fetal pulmonary maturity, 468

 , and —. Changes in placental ultrasonic appearance. II.
 Pathologic significance of Grade III placental changes, 471 QUIRK, J. GERALD (see BAWDON ET AL.), 546

RADECKI, STEPHEN E. (see PEARSE ET AL.), 332

RAJU, KANKIPATI S., MCKINNA, J. A., BARKER, G. H., WILTSHAW, Eve, and Jones, J. Mary. Second-look operations in the planned management of advanced ovarian carcinoma, 650

RANDOLPH, GEORGIA (see FLEISCHER ET AL.), 55
RAO, PAPINENI S., and CAVANAGH, DENIS. Endotoxic shock in the primate: Some effects of dopamine administration, 61

RAPOPORT, FREDERICK (see REECE, Fox, and RAPOPORT), 985 RAURAMO, I. (see KARINIEMI ET AL.), 43

RAYBURN, WILLIAM F. Clinical implications from monitoring fetal activity, 967 (Current developments)

- and BARR, MASON, JR. Teratomas: Concordance in mother and fetus, 110 (Comm. in brief)

REECE, E. ALBERT, FOX, HAROLD E., and RAPOPORT, FREDERICK. Factor VIII inhibitor: A cause of severe postpartum hemorrhage, 985 (Comm. in brief)

-, Petrie, Roy H., and Hutcherson, Hilda. Ogilvie's syndrome in the post-cesarean section patient, 849 (Comm. in brief)

REED, CLARICE D. (see MORRISON, BLAKE, and REED), 268

REESE, ANNE L. (see BOTTOMS ET AL.), 787

REIFF, ROBERT H. (see NELSON and REIFF), 464 REILLY, KEVIN B. (see YEH ET AL.), 519

REITANO, S. (see BOEMI, REITANO, and CIANCI), 476

RICHARDS, JANET L. (see RICHARDS and RICHARDS), 270

RICHARDS, THOMAS A., and RICHARDS, JANET L. A comparison of cesarean section morbidity in urban and rural hospitals, 270 RICHARDSON, L. DOUGLAS (see ENTMAN, RICHARDSON, and KILLAM),

RICHART, RALPH M. (see CRUM ET AL.), 77

RIDLEY, JOHN H. Rededication to the basics, 123

RIVER, L. PHILIP (see MOAWAD, RIVER, and KILPATRICK), 608

ROARK, MICKI L. (see BAWDON ET AL.), 546 ROBERTS, CHARLES C. (see CHAN ET AL.), 438

ROGOL, ALAN D. (see McWey, SINGHAS, and ROGOL), 283

ROMERO, ROBERTO, CHERVENAK, FRANK A., BERKOWITZ, RICHARD L. and Hobbins, John C. Intrauterine fetal tachypnea, 365 (Comm. in brief)

RONALD, NONIE (see CHAN ET AL.), 438 Rose, James C. (see Meis et al.), 543 Rosén, K.-G. (see Greene et al.), 950 Rosenzweig, Mark (see Ruff et al.), 850

ROSNER, MARVIN A., KEITH, LOUIS, and CHASNOFF, IRA. The North-western University Drug Dependence Program: The impact of intensive prenatal care on labor and delivery outcome,

ROTMANS, NEL (see WALLENBURG and ROTMANS), 523 ROY, SUBIR (see GRANGER, ROY, and MISHELL), 578

RUBIN, GEORGE L., ORY, HOWARD W., and LAYDE, PETER M. Oral contraceptives and pelvic inflammatory disease, 630

—(see Dicker et al.), 841 Rubin, Jonathan M. (see Sholl et al.), 709

RUFF, MARY LEE, CLARKE, THOMAS A., HARRIS, J. PETER, BARTELS, EDWARD K., and ROSENZWEIG, MARK. Myocardial injury following immediate postnatal circumcision, 850 (Comm. in

RUFFOLO, EUGENE H. (see SHELLEY ET AL.), 224

RUTANEN, EEVA-MARJA, and BOHN, HANS. Radioimmunoassay of placental protein 12: Levels in amniotic fluid, cord blood, and serum of healthy adults, pregnant women, and patients with trophoblastic disease, 460

RYAN, GEORGE M., JR. (see SOLOLA, RYAN, and LING), 351

S

SAGAWA, TADASHI (see MURATA ET AL.), 218

St. Clair, P. J. (see Gibbs et al.), 261

SAKATA, HISAEI (see MURATA ET AL.), 218

SALVATIERRA, A. M. (see CROXATTO ET AL.), 201

SARBY, B. (see NYLUND ET AL.), 298

SARDA, INDER R. (see GORWILL, STEELE, and SARDA), 529 SARKIS, FARUK (see ABBOUD ET AL.), 915

SAROSI, PETER (see SCHMIDT ET AL.), 601

SCALLY, MARK J. (see DICKER ET AL.), 841

SCHER, JONATHAN, BOTTONE, EDWARD, DESMOND, EDWARD, and SIMONS, WENDI. The incidence and outcome of asymptomatic herpes simplex genitalis in an obstetric population, 906

SCHIFRIN, BARRY S. (see EDEN ET AL.), 683

SCHMIDT, CECILIA L., EPSTEIN, JEANNE A., SAROSI, PETER, WOLMAN, SANDRA R., and Weiss, Gerson. Isolated follicle-stimulating hormone deficiency in a woman with X chromosomal mosaicism, 601

SCHMIDT-SOMMERFELD, EBERHARD (see PENN, SCHMIDT-SOMMERFELD, and LITMEYER), 981

SCHOUTEN, HUBERT J. A. (see LOTGERING, WALLENBURG, and SCHOU-TEN), 701

SCHULMAN, HAROLD (see Fleischer et al.), 55

SCOTT, JOSEPH C., JR. (see GOODLIN ET AL.), 990 SEEDS, ASA E. (see MIODOVNIK ET AL.), 585, 594

SEEDS, JOHN W., CEFALO, ROBERT C., and HERBERT, WILLIAM N. P. Amniotic band syndrome, 243 (Clinical opinion)

SEITCHIK, JOSEPH, and CASTILLO, MARIA. Oxytocin augmentation of dysfunctional labor. I. Clinical data, 899
SELLERS, SUSAN M., HODGSON, HELENA T., MITCHELL, M. D., ANDER-

SOLDERS, SUSAN M., HOLDERS, HELERA I., MICHELL, M. D., ANDERSON, ANN B. M., and TURBULL, A. C. Raised prostaglandin levels in the third stage of labor, 209

SHAABAN, MAMDOUH M., HUNG, TRAN T., HOFFMAN, DAVID I., LOBO, ROGERIO A., and GOEBELSMANN, UWE. \(\beta\)-Endorphin and \(\beta\)-

lipotropin concentrations in umbilical cord blood, 560

SHAFRIR, E. (see DIAMANT ET AL.), 5 SHAH, B. D., COHEN, A. W., MAY, C., and GABBE, S. G. Comparison of glycohemoglobin determination and the one-hour oral glucose screen in the identification of gestational diabetes, 774

SHALEY, JOSEF, FRANKEL, YAIR, AVIGAD, ITAMAR, and MASHIACH, SHLOMO. Spontaneous intestinal perforation in utero: Ultra-

sonic diagnostic criteria, 855 (Comm. in brief) Shelley, Sue A., Balis, John U., Paciga, June E., Knuppel, Robert A., RUFFOLO, EUGENE H., and BOUIS, PIERRE J., JR. Surfactant "apoproteins" in human amniotic fluid: An enzymelinked immunosorbent assay for the prenatal assessment of lung maturity, 224

SHENKER, LEWIS (see DAVIS ET AL.), 229

SHIPP, DENESE A. (see PEARSE ET AL.), 332

SHOLL, JOHN S., WOO, DIANA, RUBIN, JONATHAN M., LIN, CHIN-CHU, and Moawad, Atef H. Intrauterine growth retardation risk detection for fetuses of unknown gestational age, 709

SHUGAR, GARY. The effect of 24-hour storage at 4° C on the amniotic fluid absorbance at 650 nm, 854 (Comm. in brief)

SIEGEL, NORMAN J. (see BERKOWITZ ET AL.), 367

SIMONS, WENDI (see SCHER ET AL.), 906

SINGHAS, CHARLES A. (see McWey, SINGHAS, and ROGOL), 283

SINZINGER, HELMUT (see DADAK ET AL.), 792

SKRET, A. (see Kuźniar et al..), 430 SLATER, PATRICIA (see CHAN ET AL.), 438

SMITH, CHARLES B. (see NOBLE, JACOBSON, and SMITH), 186

SMITH, ELLEN BLAIR, WEED, JOHN C., JR., TYREY, LEE, and HAMMOND, CHARLES B. Treatment of nonmetastatic gestational trophoblastic disease: Results of methotrexate alone versus methotrexate-folinic acid, 88

SMITH, HOWARD L. (see BURCHELL ET AL.), 621 SMITH, WALKER (see BERKOWITZ ET AL.), 367

Solish, George I. (see Camiel and Solish), 988
Solola, Abiodun S., Ryan, George M., Jr., and Ling, Frank W. Gonorrhea during the intrapartum period, 351 (Comm. in

SOSNOWSKI, J. R. (see PERESS ET AL.), 474

SPELLACY, WILLIAM N. Survival of departments of obstetrics and gynecology: Ten points for Association of Professors of Gynecology and Obstetrics action in the 1980s, 626

STANGENBERG, MAGNUS (see PERSSON ET AL.), 455 STAUFFER, ROBERT A., ADAMS, ANNETTE, WYGAL, JANET, and LAVERY, J. PATRICK. Gallbladder disease in pregnancy, 661 -, WYGAL, JANET, and LAVERY, J. PATRICK. Spontaneous bacterial peri-

tonitis in pregnancy, 104 (Comm. in brief)

STEELE, HOWARD D. (see GORWILL, STEELE, and SARDA), 529 STEINBRECHER, MARGARET (see Fox, Hohler, and Steinbrecher), 213

STEMPEL, LAURENCE E. Eenie, meenie, minie, mo . . . What do the data really show, 745 (Clinical opinion)

STEWART, ROGER D. (see DIVERS ET AL.), 539 STONE, MARTIN L. (see BAKER ET AL.), 346 STONE, SERGIO (see ELIAS ET AL.), 72 STRAUSS, LILO T. (see DICKER ET AL.), 841

STYS, STANLEY J. (see CLARK, AUSTIN, and STYS) 497

SUMULONG, LINDA (see FUCHS ET AL.), 753 SURTI, U., SZULMAN, A. E., and O'BRIEN, S. Dispermic origin and clinical outcome of three complete hydatidiform moles with 46,XY karyotype, 84

SZEKERES, AGNES V. (see ELIAS ET AL.), 72 SZMIGIEL, ZB. (see Kuźniar et al..), 430 SZULMAN, A. E. (see SURTI, SZULMAN, and O'BRIEN), 84

TAIRA, SHOZO (see MURATA ET AL.), 218 THIERRY, M. (see GRAY ET AL.), 880 THOMAS, DEBRA A. (see BURCHELL ET AL.), 621 THOMAS, JOANNE (see BAKER ET AL.), 346 THOMAS, M. RITA (see CHAN ET AL.), 438 THOMSEN, A. C. Infectious mastitis and occurrence of antibody-coated bacteria in milk, 350 (Comm. in brief) THURLOW, SALLY (see HUSEBY and THURLOW), 939 TOGNONI, GIANNI (see LA VECCHIA ET AL.), 387 TOROK, ELIZABETH E. (see LURAIN ET AL.), 391 TORTORA, MARGE (see MAYDEN ET AL.), 289 TOWNSEND, DUANE E. (see CRUM ET AL.), 77

TOYODA, NAGAYASU. Insulin receptors on erythrocytes in normal and obese pregnant women: Comparisons to those in nonpregnant women during the follicular and luteal phases, 679

TRANSBØL, IB (see CHRISTENSEN ET AL.), 873 TSAI, C. C. (see PERESS ET AL.), 135 Tu, Betty (see Yee, Tu, and Platt), 726 TURNBULL, A. C. (see Sellers et al.), 209 TUTTLE, WANETA C. (see BURCHELL ET Al.), 621 TYREY, LEE (see SMITH ET Al.), 88

ULMSTEN, ULF, HENRIKSSON, LARS, and IOSIF, SERAFIM. The unstable female urethra, 93 -(see WESTBY, ASMUSSEN, and ULMSTEN), 408

—(see Forman et al.), 442, 665

Untawale, Vasundhara G., Gabriel, Juan B., Jr., and Chauhan, Prem M. Calcific endometritis, 482 (Comm. in brief)

VALENTA, LUBOMIR J. (see ELIAS ET AL.), 72 VAN DINH, TUNG, and WOODRUFF, J. DONALD. Leiomyosarcoma of the uterus, 817

VARGYAS, JOYCE M., MARRS, RICHARD P., KLETZKY, OSCAR A., and MISHELL, DANIEL R., Jr. Correlation of ultrasonic measure-ment of ovarian follicle size and serum estradiol levels in ovulatory patients following clomiphene citrate for in vitro fertilization, 569

VALLE, RENE (see BENEDETTI, VALLE, and LEDGER), 413

VECSEI, PAUL (see BAUKNECHT ET AL.), 28 VENUTO, R. (see CHAUDHURI ET AL.), 760 VEOMETT, IRIS C. (see DAVIS ET AL.), 229 VOET, RICHARD (see GAL ET AL.), 729 VUOLO, K. (see PAZOS ET AL.), 574

WADE, MACLYN E. (see EDEN ET AL.), 683 WAGER, JAN (see PERSSON ET AL.), 455

WALLENBURG, HENK C. S., and ROTMANS, NEL. Enhanced reactivity of the platelet thromboxane pathway in normotensive and hypertensive pregnancies with insufficient fetal growth, 523

(see LOTGERING, WALLENBURG, and SCHOUTEN), 701

WEART, C. WAYNE (see HAINER ET AL.), 67 WEBER, GIORGIO (see DADAK ET AL.), 792

WEED, JOHN C., JR. (see SMITH ET AL.), 88 WEINBERG, J. BRICE (see MUSCATO, HANEY, and WEINBERG), 503

WEINER, CARL P., and Brandt, John. A modified activated partial thromboplastin time with the use of amniotic fluid, 234 WEINSTEIN, LOUIS (see DAVIS ET AL.), 229

WEISS, GERSON (see SCHMIDT ET AL.), 601 WEISS, ROBERT M. (see BERKOWITZ ET AL.), 367

WESTBY, M., ASMUSSEN, M., and ULMSTEN, U. Location of maximum intraurethral pressure related to urogenital diaphragm in the female subject as studied by simultaneous urethrocystometry and voiding urethrocystography, 408

WILKES, MAHLON M. (see DIVERS ET AL.), 539 WILLIAMSON, H. OLIVER (see PERESS ET AL.), 135, 474 WILSON, KATHLEEN H. (see LAUERSEN ET AL.), 890 WILSON, WILLIAM E. (see KELTON ET AL.), 449

WILTSHAW, EVE (see RAJU ET AL.), 650

WITTER, FRANK R., BLAKE, DAVID A., BAUMGARDNER, ROSEMARY, MELLITS, E. DAVID, and NIEBYL, JENNIFER R. Folate, carotene, and smoking, 857 (Comm. in brief)

WITTICH, ARTHUR C., MORALES, HERNAN, and BRAEUER, NORBERT R. Tubocutaneous fistula, 109 (Comm. in brief

WYGAL, JANET (see STAUFFER, WYGAL, and LAVERY), 104 -(see STAUFFER ET AL.), 661

WOLMAN, SANDRA R. (see SCHMIDT ET AL.), 601

WOO, DIANA (see SHOLL ET AL.), 709 WOODRUFF, J. DONALD (see VAN DINH and WOODRUFF), 817 WOODS, RALPH E. (see GOODLIN ET AL.), 990

YEE, BILLY, Tu, BETTY, and PLATT, LAWRENCE D. Coexisting hydatidiform mole with a live fetus presenting as a placenta previa on ultrasound, 726

YEH, MING-NENG, BRACERO, LUIS, REILLY, KEVIN B., MURTHA, LOUISE, ABOULAFIA, MICHAEL, and BARRON, BRUCE A. Ultrasonic measurement of the femur length as an index of fetal gestational age, 519 Yen, Samuel S. C. (see Divers et al.), 539

Yu, H. K. (see Nathanielsz, Yu, and Cabalum), 614 YURTH, DANIEL A. (see PHELAN and YURTH), 17

ZACZEK, T. (see Kuźniar et al.), 430 ZAMBITO, PAUL R. (see GALLUP, LABUDOVICH, and ZAMBITO), 154 DE ZIEGLER, DOMINIQUE (see GURPIDE ET AL.), 551 ZUCKERMAN, BARRY (see HINGSON ET AL.), 959

Subject index*

Abdomen, fetal, megacystis-microcolon-hypoperistalsis syndrome and anechoic areas in (Nelson and Reiff), 464

Abdominal delivery without uterine incision or laparoelytrotomy (Goodlin et al.), 990 (Comm. in brief)

and vaginal hysterectomy, complications of, among women of reproductive age in United States (Dicker et al.), 841

Abortion and informed consent requirements (Kapp), 1 (Clinical opinion)

recurrent, intrauterine growth retardation, and infertility in five cases: impaired reproductive performance of unicornuate uterus (Andrews and Jones), 173

repetitive, balanced translocation karyotypes in patients with (Davis et al.), 229

Absorbance, amniotic fluid, at 653 nm, effect of 24-hour storage at 4° C on (Shugar), 854 (Comm. in brief)

Accelerations, fetal heart rate, and late decelerations during course of intrauterine death in chronically catheterized rhesus monkeys (Murata et al.), 218

Acidosis, fetal, development of, in presence of abnormal fetal heart rate tracing. I. Average for gestational age fetus (Fleischer

hypokalemia, transient hepatitis, severe hemolytic anemia, and leukemoid reaction associated with administration of ritodrine hydrochloride (Yutopar)(Alcena), 852 (Comm. in brief)

Activity, fetal, clinical implications from monitoring (Rayburn), 967 (Current developments)

Adenocarcinoma, ovarian, histologic correlates of virulence in. II. Morphologic correlates of host response (Deligdisch, Jacobs, and Cohen), 885

peritoneoscopically confirmed Stage I ovarian, intraperitoneal

chromic phosphate in (Piver et al.), 836 Adenomyosis, development of, associated with evidence of hyperprolactinemia, effects of prenatal exposure of mice to "low-dose" diethylstilbestrol and (Huseby and Thurlow), 939

Adenosis and heterotopic columnar epithelium in vagina of mouse after neonatal treatment with clomiphene citrate (Gorwill, Steele, and Sarda), 529

Adnexal adhesions: prognostic staging and classification system based on five-year survey of fertility surgery results at Chapel Hill, North Carolina (Hulka), 141

Adrenergic, β -, receptor activity, effect of estrogen and progesterone on, in rabbit lung tissue (Moawad, River, and Kilpatrick),

stimulation, effect of, on fetal cardiovascular function during hypoxemia (Cohn, Piasecki, and Jackson), 810

Age(s), different, bone mineral status of lactating mothers of (Chan et al.), 438

reproductive, complications of abdominal and vaginal hysterectomy among women of, in United States (Dicker et al.), 841

Aldosterone, plasma, urinary aldosterone metabolites, and urinary free 18-hydroxycorticosterone in normal pregnancy (Bauknecht et al.), 28

Altitude, high, incidence of pregnancy-induced hypertension is in-creased among Colorado residents at (Moore et al.), 423

Amenorrhea and oligomenorrhea, prevalence of, in college population (Bachmann and Kemmann), 98

Aminobutyric acid (gamma-), presumptive role for, in regulation of gonadotropin secretion in man (Elias et al.), 72 Amniocentesis, failed: role of membrane tenting (Platt, DeVore,

and Gimovsky), 479 (Comm. in brief) fatal intracranial hemorrhage complicating (Portman and Brouillette), 731 (Comm. in brief)

Amniotic band syndrome (Seeds, Cefalo, and Herbert), 243 (Clinical opinion)

fluid absorbance at 650 nm, effect of 24-hour storage at 4° C on (Shugar), 854 (Comm. in brief)

β-endorphin and α-melanocyte-stimulating hormone immunoreactivity in normal and complicated pregnancies (Divers Amniotic fluid-Cont'd.

cord blood, and serum of healthy adults, pregnant women, and patients with trophoblastic disease, levels in: radioimmunoassay of placental protein 12 (Rutanen, Bohn, and Seppälä), 460

human, surfactant "apoproteins" in: enzyme-linked immunosorbent assay for prenatal assessment of lung maturity (Shelley et al.), 224

modified activated partial thromboplastin time with use of (Weiner and Brandt), 234

Anatomy, normal, as determined by real-time-directed M-mode ultrasound, I. Fetal echocardiography (DeVore et al.),

Anechoic areas in fetal abdomen and megacystis-microcolon-hypoperistalsis syndrome (Nelson and Reiff), 464

Anemia, severe hemolytic, leukemoid reaction, acidosis, hypokalemia, and transient hepatitis associated with administration of ritodrine hydrochloride (Yutopar) (Alcena), 852 (Comm. in brief)

Anesthesia, epidural, sympathoadrenal activity, maternal, fetal, and neonatal responses after, in preeclamptic patient (Abboud et al.), 915

Antepartum cardiotocograms, interobserver and intraobserver variation in assessment of (Lotgering, Wallenburg, and Schouten), 701

nonstress testing, spontanous fetal heart rate decelerations during, and intrauterine growth retardation, association of (Pazos et al.), 574

pneumonia in pregnancy (Benedetti, Valle, and Ledger), 413 testing schemes for management of postdate pregnancy, comparison of (Eden et al.), 683

Antibody-coated bacteria, infectious mastitis and occurrence of,

in milk (Thomsen), 350 (Comm. in brief) Anticoagulation of autologous cord blood for neonatal resuscitation (Golden, O'Brien, and Metz), 103 (Comm. in brief)

Antiestrogen, antiprogesterone, synthetic, gestrinone (R-2323), treatment of endometriosis with (Coutinho), 895

Apgar scores, infant, maternal cigarette smoking, and psychoactive substance use (Hingson et al.), 959

"Apoproteins," surfactant, in human amniotic fluid: enzyme-linked immunosorbent assay for prenatal assessment of lung maturity (Shelley et al.), 224 Arterial thromboembolic disease, venous and, in women using oral

contraceptives (Miller and Pizzo), 824 Artery prostacyclin formation, reduced umbilical, in complicated

pregnancies (Dadak et al.), 792 Ascites, massive, with uterine leiomyomas and ovarian vein throm-bosis (Gal et al.), 729 (Comm. in brief)

Assay, cytotoxicity, sequential in vitro reactivity of lymphocytes from patients with cervical squamous malignancy in (Dini

and Faiferman), 341 enzyme-linked immunosorbent, for prenatal assessment of lung maturity: surfactant "apoproteins" in human amniotic fluid (Shelley et al.), 224

limulus lysate, in detection of gonorrhea in women from low-incidence population (Hainer et al.), 67 Association of Professors of Gynecology and Obstetrics action, ten points for, in 1980s: survival of departments of obstetrics and gynecology (Spellacy), 626

Autologous cord blood, anticoagulation of, for neonatal resuscitation (Golden, O'Brien, and Metz), 103 (Comm. in brief)

Average for gestational age fetus, I. Development of fetal acidosis in presence of abnormal fetal heart rate tracing (Fleischer et al.), 55

Bacteria, antibody-coated, infectious mastitis and occurrence of, in milk (Thomsen), 350 (Comm. in brief)

Bacterial peritonitis, spontaneous, in pregnancy (Stauffer, Wygal, and Lavery), 104 (Comm. in brief)

Band syndrome, amniotic (Seeds, Cefalo, and Herbert), 243 (Clinical opinion)

*September 1, 1-122; September 15, 123-242; October 1, 243-366; October 15, 367-490; November 1, 491-620; November 15, 621-744; December 1, 745-868; December 15, 869-1022.

Basics, rededication to (Ridley), 123

Bendectin (Debendox) as risk factor for pyloric stenosis (Eskenazi and Bracken), 919

Benign gynecologic surgery, redistribution of (Friedrich), 177

Biochemical and cardiovascular effects of infusion of beta hydroxybutyrate into fetal lamb (Miodovnik et al.), 594

Biopsies, outpatient breast, on gynecologic service (Mitchell and Homer), 127

Birth weight, determinants of (Dougherty and Jones), 190

Bleeding, recurrent, associated with placenta membranacea partialis: report of case (Las Heras, Harding, and Haust), 480 (Comm. in brief)

Blood, autologous cord, anticoagulation of, for neonatal resuscitation (Golden, O'Brien, and Metz), 103 (Comm. in brief)

capillary whole, radioimmunologic method applied for analyses of human placental lactogen on minimal amounts of (Axelsson and Englund), 984 (Comm. in brief)

concentrations, uterine and peripheral, of vasodilator prostaglandins in conscious pregnant rabbits (Chaudhuri et al.), 760

cord, serum, and amniotic fluid of healthy adults, pregnant women, and patients with trophoblastic disease, levels in: radioimmunoassay of placental protein 12 (Rutanen, Bohn, and Seppälä), 460

flow distribution, portal venous, to liver and ductus venosus in newborn lambs (Botti et al.), 303

uterine, effect of vasoactive intestinal polypeptide on, in pregnant ewes (Clark, Austin, and Stys), 497

uteroplacental, in diabetic pregnancy: measurements with indium 113m and computer-linked gamma camera (Nylund et al.), 298

pH measurement, fetal scalp, with automated blood microprocessor and clinical blood gas laboratory, comparison of (Pearse and Paul), 40

sampling, scalp, fetal heart rate response to (Clark, Gimovsky, and Miller), 706

umbilical cord, β -endorphin and β -lipotropin concentrations in (Shaaban et al.), 560

Bone mineral status of lactating mothers of different ages (Chan et al.), 438

Books received, 241, 365, 867, 999

Breast biopsies, outpatient, on gynecologic service (Mitchell and Homer), 127

Breathing movements, human fetal, after carbohydrate ingestion in fasting and nonfasting subjects (Fox, Hohler, and Steinbrecher), 213

Breech second twin, management of (Kelsick and Minkoff), 783

C

Calcific endometritis (Untawale, Gabriel, and Chauhan), 482 (Comm.

Camera, computer-linked, indium 113m and, measurements with: uteroplacental blood flow in diabetic pregnancy (Nylund et al.), 298

Cancer, endometrial: evaluation of spread and follow-up in one hundred eighty-nine patients with Stage I or Stage II disease (Burrell, Franklin, and Powell), 181

prognostic features of, in estrogen users and obese women (La Vecchia et al.), 387

patient, dying, and gynecologist (Gallup, Labudovich, and Zambito), 154

Capillary whole blood, radioimmunologic method applied for analyses of human placental lactogen on minimal amounts of (Axelsson and Englund), 984 (Comm. in brief)

Carbohydrate ingestion, human fetal breathing movements after, in fasting and nonfasting subjects (Fox, Hohler, and Steinbrecher), 213

Carbon dioxide laser, use of, in therapy of cervical intraepithelial neoplasia (Burke), 337

Carcinoma, advanced ovarian, second-look operations in planned management of (Raju et al.), 650 Cardiomyopathy, peripartum, and Wolff-Parkinson-White syndrome

diomyopathy, peripartum, and Wolff-Parkinson-White syndrome in pregnant patient (Barfield), 989 (Comm. in brief)

Cardiotocograms, antepartum, interobserver and intraobserver variation in assessment of (Lotgering, Wallenburg, and Schouten), 701

Cardiovascular and biochemical effects of infusion of beta hydroxybutyrate into fetal lamb (Miodovnik et al.), 594

function, fetal, effect of β-adrenergic stimulation on, during hypoxemia (Cohn, Piasecki, and Jackson), 810 Carotene, folate, and smoking (Witter et al.), 857 (Comm. in brief)
Catamenial products, use of, effect of menses and, on cervical carriage of Staphylococcus aureus (Noble, Jacobson, and Smith),

Catecholamines, maternal and fetal circulating, effect of labor on (Jones and Greiss), 149

Catheterized rhesus monkeys, chronically, fetal heart rate accelerations and late decelerations during course of intrauterine death in (Murata et al.), 218

Cefamandole versus clindamycin-gentamicin, double-blind, randomized comparison of, for treatment of post-cesarean section endomyometritis (Gibbs et al.), 261

Cell-to-cell spread and multiplication of herpes simplex virus type 2 in vitro, effect of prostaglandins on (Baker et al.), 346

function, fetal beta, in diabetic pregnancy (Persson et al.), 455 Cervical carriage of Staphylococcus aureus, effect of menses and use of catamenial products on (Noble, Jacobson, and Smith),

intraepithelial neoplasia, use of carbon dioxide laser in therapy of (Burke), 337

perfusion method, new, for induction of labor with prostaglandins (Boemi, Reitano, and Cianci), 476 (Comm. in brief)

priming prior to dilatation and evacuation: comparison of methods (Lauersen et al.), 890 squamous malignancy, sequential in vitro reactivity of lymphocytes

from, in cytotoxicity assay (Dini and Faiferman), 341 Cesarean section morbidity, comparison of, in urban and rural

hospitals (Richards and Richards), 270
post-, endomyometritis, double-blind, randomized comparison
of clindamycin-gentamicin versus cefamandole for treatment of (Gibbs et al.), 261

patient, Ogilvie's syndrome in (Reece, Petrie, and Hutcherson), 849 (Comm. in brief)

trial of labor following: two-year experience (Meier and Porreco), 671

unusual cause of pain after (Baker, Cefalo, and Dorton), 982 (Comm. in brief)

Chapel Hill, North Carolina, prognostic staging and classification system based on five-year survey of fertility surgery results at: adnexal adhesions (Hulka), 141

Chorion-decidua tissue, human, prolactin binding sites on (McWey, Singhas, and Rogol), 283

Chromic phosphate, intraperitoneal, in peritoneoscopically confirmed Stage I ovarian adenocarcinoma (Piver et al.), 836

Chromosomal mosaicism, X, isolated follicle-stimulating hormone deficiency in woman with (Schmidt et al.), 601

Cigarette smoking, maternal, psychoactive substance use, and infant Apgar scores (Hingson et al.), 959

Circadian pattern of prolactin secretion in postmenopausal women receiving estrogen with or without progestin (Chang et al.). 402

Circumcision, immediate postnatal, myocardial injury following (Ruff et al.), 850 (Comm. in brief)

Clindamycin-gentamicin versus cefamandole, double-blind, randomized comparison of, for treatment of post-cesarean section endomyometritis (Gibbs et al.), 261

Clinical opinion, 1-4, 243-260, 367-386, 621-625, 745-752

Clomiphene citrate, heterotopic columnar epithelium and adenosis in vagina of mouse after neonatal treatment with (Gorwill, Steele, and Sarda), 529

for in vitro fertilization, correlation of ultrasonic measurement of ovarian follicle size and serum estradiol levels in ovulatory patients following (Vargyas et al.), 569

Collaborative practice in obstetrics/gynecology: implications for cost, quality, and productivity (Burchell et al.), 621 (Clinical opinion)

College population, prevalence of oligomenorrhea and amenorrhea in (Bachmann and Kemmann), 98

Colorado residents at high altitude, incidence of pregnancy-induced hypertension is increased among (Moore et al.), 423
Communications in brief, 103-113, 350-357, 474-483, 728-735, 849-

Communications in brief, 103-113, 350-357, 474-483, 728-735, 849-859, 981-991

Community hospital, fifteen years' experience in: shoulder dystocia (Hopwood), 162

Computer-linked gamma camera, indium 113m and, measurements with: uteroplacental blood flow in diabetic pregnancy (Nylund et al.), 298

- Condylomas, biologic and histologic criteria for distinction of, from vulvar intraepithelial neoplasia: intraepithelial squamous lesions of vulva (Crum et al.), 77
- Consultants for American Journal of Obstetrics and Gynecology, 869 Contraceptives, oral, and pelvic inflammatory disease (Rubin, Ory, and Layde), 630
 - venous and arterial thromboembolic disease in women using (Miller and Pizzo), 824
- Contractures, tonic myometrial, incidence of, fetal intravascular Po2 and, effect of abolition of fetal movement on, in pregnant ewe at 114 to 134 days' gestation (Nathanielsz, Yu, and Cabalum), 614
- Copper T, placebo and, comparative performance of progesterone implants versus, II. Fertility regulation in nursing women (Croxatto et al.), 201
- Cord blood, autologous, anticoagulation of, for neonatal resuscitation (Golden, O'Brien, and Metz), 103 (Comm. in brief)
 - serum, and amniotic fluid of healthy adults, pregnant women, and patients with trophoblastic disease, levels in: radioimmunoassay of placental protein 12 (Rutanen, Bohn, and Seppälä), 460
- Correspondence, 114-121, 358-364, 484-489, 736-743, 860-866, 992-998
- Cortisol levels, human fetal serum, related to gestational age: evidence of midgestational fall and steep late gestational rise, independent of sex or mode of delivery (Pearson Murphy), 276
- Current developments, 967-980
- Cyclic estrogen/gestagen, dose-response evaluation of, in postmenopausal women: placebo-controlled trial of its gynecologic and metabolic actions (Christensen et al.), 873
- Cytosolic estrogen receptor, specific, in human term placenta (Kneussl, Ances, and Albrecht), 803
- Cytotoxicity assay, sequential in vitro reactivity of lymphocytes from patients with cervical squamous malignancy in (Dini and Faiferman), 341

- Data, what do, really show . . . eenie, meenie, minie, mo (Stempel), 745 (Clinical opinion)
- Dating, prenatal diagnosis and, new parameter for: orbital diameters (Mayden et al.), 289
- Death of infant, puerperal tuberculosis with (Niles), 131
- intrauterine, fetal heart rate accelerations and late decelerations during course of, in chronically catheterized rhesus mon-keys (Murata et al.), 218
- Debendox (Bendectin) as risk factor for pyloric stenosis (Eskenazi and Bracken), 919
- Decelerations, late, fetal heart rate accelerations and, during course of intrauterine death in chronically catheterized rhesus monkeys (Murata et al.), 218
 - during hypoxia, mechanisms of (Harris, Krueger, and Parer), 491
- spontaneous fetal heart rate, during antepartum nonstress testing and intrauterine growth retardation, association of (Pazos et al.), 574
- variable heart rate, and transcutaneous Po2 during umbilical cord occlusion in fetal monkeys (Mueller-Heubach and Battelli), 796
- Decidua-chorion tissue, human, prolactin binding sites on (McWey, Singhas, and Rogol), 283
- Delivery (deliveries), abdominal, without uterine incision or laparoelytrotomy (Goodlin et al.), 990 (Comm. in brief)
- conducted by midwives and gynecologists, neonatal morbidity in (Lievaart and de Jong), 376
- mode of, sex or, evidence of midgestational fall and steep late ges-tational rise, independent of: human fetal serum cortisol levels related to gestational age (Pearson Murphy), 276
- outcomes, labor and, impact of intensive prenatal care on: Northwestern University Drug Dependence Program (Rosner, Keith, and Chasnoff), 23
- urethral pressure profile in pregnancy and after, in healthy nulliparous women (van Geelen et al.), 636
- Departments of obstetrics and gynecology, survival of: ten points for Association of Professors of Gynecology and Obstetrics action in 1980s (Spellacy), 626
- Desmoid tumor during pregnancy (Camiel and Solish), 988 (Comm. in brief)

- Diabetes, gestational, comparison of glycohemoglobin determination and one-hour oral glucose screen in identification of (Shah
 - criteria for screening tests for (Carpenter and Coustan), 768 mellitus, human and experimental, placental lipid and glycogen con-
- tent in (Diamant et al.), 5 Diabetic pregnancy, fetal beta cell function in (Persson et al.), 455 uteroplacental blood flow in: measurements with indium 113m and computer-linked gamma camera (Nylund et al.), 298
- Diaphragm, urogenital, location of maximum intraurethral pressure related to, in female subject as studied by simultaneous urethrocystometry and voiding urethrocystography (Westby, Asmussen, and Ulmsten), 408
- Diethylstilbestrol, hirsutism and menstrual patterns in women exposed to, in utero (Peress et al.), 135
 - "low-dose," effects of prenatal exposure of mice to, and development of adenomyosis associated with evidence of hyperprolactinemia (Huseby and Thurlow), 939
- Dihydroxyvitamin (1,25-) D₃, fluctuation of serum concentration of, during menstrual cycle (Gray et al.), 880
- Dilatation and evacuation, cervical priming prior to: comparison of methods (Lauersen et al.), 890
- Disease, fatal gestational trophoblastic: Analysis of treatment failures (Lurain et al.), 391

 - gallbladder, in pregnancy (Stauffer et al.), 661 gestational trophoblastic, placental protein 5 in: localization and circulating levels (Nisbet et al.), 396
 - nonmetastatic gestational trophoblastic, treatment of: results of methotrexate alone versus methotrexate-folinic acid (Smith et al.), 88
- pelvic inflammatory, and oral contraceptives (Rubin, Ory, and Lavde), 630
- Stage I or Stage II, evaluation of spread and follow-up in one hundred eighty-nine patients with: endometrial cancer (Burrell, Franklin, and Powell), 181
- trophoblastic, patients with, healthy adults, and pregnant women, levels in amniotic fluid, cord blood, and serum of: radioimmunoassay of placental protein 12 (Rutanen, Bohn, and Seppälä), 460
- venous and arterial thromboembolic, in women using oral contraceptives (Miller and Pizzo), 824
- Dispermic origin and clinical outcome of three complete hydatidiform moles with 46,XY karyotype (Surti, Szulman, and O'Brien),
- Dopamine administration, some effects of: endotoxic shock in primate (Rao and Cavanagh), 61
- Ductus venosus and livers, portal venous blood flow distribution to, in newborn lambs (Botti et al.), 303
- Dying cancer patient and gynecologist (Gallup, Labudovich, and Zambito), 154
- Dysfunctional labor, oxytocin augmentation of. I. Clinical data (Seit-chik and Castillo), 899
- Dysmenorrhea, epidemiologic study of young women with (Andersch and Milsom), 655
- Dystocia, shoulder: fifteen years' experience in community hospital (Hopwood), 162

- Echocardiographic estimation of hemodynamics in hypertensive pregnancy (Kuźniar et al.), 430
- Echocardiography, fetal. I. Normal anatomy as determined by realtime-directed M-mode ultrasound (DeVore et al.), 249
 - Diagnosis and significance of pericardial effusion in fetus using real-time-directed M-mode ultrasound (DeVore et al.), 693
- Eclampsia-preeclampsia, severe, preliminary report on treatment of, with magnesium sulfate and volume expanders (Liu), 983 (Comm. in brief)
- Edema, proteinuria, thrombocytopenia, and leukopenia in infants of preeclamptic mothers (Mirro and Brown), 851 (Comm. in brief)
- Eenie, meenie, minie, mo . . . what do data really show (Stempel), 745
- (Clinical opinion)
 Effusion, pericardial, in fetus, diagnosis and significance of, using real-time-directed M-mode ultrasound, II. Fetal echocardiography (DeVore et al.), 693
- Electrocardiogram, fetal lamb, changes in ST waveform of, with hypoxemia (Greene et al.), 950

- Embolization, repetitive unilateral vascular, uterine hemodynamic response to, in pregnant ewe (Clapp et al.), 309
- Endocrine response, ovine fetoplacental, to placental damage (Clapp et al.), 47
- Endometrial cancer: evaluation of spread and follow-up in one hundred eighty-nine patients with Stage I or Stage II disease (Burrell, Franklin, and Powell), 181
 - prognostic features of, in estrogen users and obese women (La Vecchia et al.), 387
- Endometriosis, infertility in, possible cause of: sperm phagocytosis by human peritoneal macrophages (Muscato, Haney, and Weinberg), 503
- pelvic, and Turner's syndrome (Peress et al.), 474 (Comm. in brief) treatment of, with gestrinone (R-2323), synthetic antiestrogen, antiprogesterone (Coutinho), 895
- Endometritis, calcific (Untawale, Gabriel, and Chauhan), 482 (Comm. in brief)
- Endomyometritis, post-cesarean section, double-blind, randomized comparison of clindamycin-gentamicin versus cefamandole for treatment of (Gibbs et al.), 261
- Endorphin, β -, and α -melanocyte-stimulating hormone immunoreactivity, amniotic fluid, in normal and complicated pregnancies (Divers et al.), 539
- and β-lipotropin concentrations in umbilical cord blood (Shaaban et al.), 560
- Endotoxic shock in primate: some effects of dopamine administration (Rao and Cavanagh), 61
- Enzyme-linked immunosorbent assay for prenatal assessment of lung maturity: surfactant "apoproteins" in human amniotic fluid (Shelley et al.), 224
- Epidemiologic study of young women with dysmenorrhea (Andersch and Milsom), 655
- Epidural anesthesia, sympathoadrenal activity, maternal, fetal, and neonatal responses after, in preeclamptic patient (Abboud et al.), 915
- Epithelium, heterotopic columnar, and adenosis in vagina of mouse after neonatal treatment with clomiphene citrate (Gorwill, Steele, and Sarda), 529
- Erratum, 120
- Erythrocyte(s), insulin receptors on, in normal and obese pregnant women: comparisons to those in nonpregnant women during follicular and luteal phases (Toyoda), 679
 - osmotic fragility, increased, in pregnancy (Magid, Perlin, and Gottfried), 910
- Estradiol and estrone derived from labeled precursors, asymmetric release of, in perfused human placentas (Gurpide et al.),
- levels, serum, and ultrasonic measurement of ovarian follicle size, correlation of, in ovulatory patients following clomiphene
- citrate for in vitro fertilization (Vargyas et al.), 569 Estrogen formulations, various, comparison of pharmacodynamic
- properties of (Mashchak et al.), 511 /gestagen, cyclic, dose-response evaluation of, in postmenopausal women: placebo-controlled trial of its gynecologic and metabolic actions (Christensen et al.), 873
- and progesterone, effect of, on β -adrenergic receptor activity in rabbit lung tissue (Moawad, River, and Kilpatrick), 608
- receptor, specific cytosolic, in human term placenta (Kneussl, Ances, and Albrecht), 803
- users and obese women, prognostic features of endometrial cancer in (La Vecchia et al.), 387
- with or without progestin, circadian pattern of prolactin secretion in
- postmenopausal women receiving (Chang et al.), 402 Estrone and estradiol derived from labeled precursors, asymmetric release of, in perfused human placentas (Gurpide et al.),
- Ethanol and ritodrine, effect of, plasma levels of oxytocin and 13,14dihydro-15-keto prostaglandin $F_{2\alpha}$ in preterm labor and (Fuchs et al.), 753
- Evacuation, dilatation and, cervical priming prior to: comparison of methods (Lauersen et al.), 890
- Experimental diabetes mellitus, human and, placental lipid and glycogen content in (Diamant et al.), 5
- Factor VIII inhibitor: case of severe postpartum hemorrhage (Reece, Fox, and Rapoport), 985 (Comm. in brief)

- Fasting and nonfasting subjects, human fetal breathing movements after carbohydrate ingestion in (Fox, Hohler, and Steinbrecher), 213
- Femur length, ultrasonic measurement of, as index of fetal gestational age (Yeh et al.), 519
 - ultrasound fetal, in relation to intrauterine growth retardation. Part II (O'Brien and Queenan), 35
- Ferritin, elevated serum, in altered ferrokinetics of toxemia of pregnancy (Entman, Richardson, and Killam), 418
- Ferrokinetics, altered, of toxemia of pregnancy, elevated serum ferritin in (Entman, Richardson, and Killam), 418
- Fertility regulation in nursing women. II. Comparative performance of progesterone implants versus placebo and copper T (Croxatto et al.), 201
- surgery results at Chapel Hill, North Carolina, prognostic staging and classification system based on five-year survey of: adnexal adhesions (Hulka), 141
- Fertilization, in vitro, correlation of ultrasonic measurement of ovarian follicle size and serum estradiol levels in ovulatory patients following clomiphene citrate for (Vargyas et al.), 569
- Fetal abdomen, megacystis-microcolon-hypoperistalsis syndrome and anechoic areas in (Nelson and Reiff), 464
 - acidosis, development of, in presence of abnormal fetal heart rate tracing. I. Average for gestational age fetus (Fleischer et al.), 55
 - activity, clinical implications from monitoring (Rayburn), 967 (Current developments)
 - beta cell function in diabetic pregnancy (Persson et al.), 455
 - body movements, gross, and maternal heart rate, influence of, on daily pattern of fetal heart rate near term (Patrick et al.), 533
 - breathing movements, human, after carbohydrate ingestion in fasting and nonfasting subjects (Fox, Hohler, and Steinbrecher), 213
 - cardiovascular function, effect of β-adrenergic stimulation on, during hypoxemia (Cohn, Piasecki, and Jackson), 810
 - echocardiography. I. Normal anatomy as determined by real-time-directed M-mode ultrasound (DeVore et al.), 249
 - II. Diagnosis and significance of pericardial effusion in fetus using real-time-directed M-mode ultrasound (DeVore et al.), 693
 - femur length, ultrasound, in relation to intrauterine growth retardation. Part II (O'Brien and Queenan), 35
 - gestational age, ultrasonic measurement of femur length as index of (Yeh et al.), 519
 - growth, insufficient, enhanced reactivity of platelet thromboxane pathway in normotensive and hypertensive pregnancies with (Wallenburg and Rotmans), 523
 - heart rate accelerations and late decelerations during course of intrauterine death in chronically catheterized rhesus monkeys (Murata et al.), 218
 - decelerations, spontaneous, during antepartum nonstress testing and intrauterine growth retardation, association of (Pazos et al.), 574
 - mechanisms of late decelerations of, during hypoxia (Harris, Krueger, and Parer), 491
 - response to scalp blood sampling (Clark, Gimovsky, and Miller), 706
 - variability and maternal hemodynamics, significant correlation between (Kariniemi et al.), 43
 - lamb, cardiovascular and biochemical effects of infusion of beta hydroxybutyrate into (Miodovnik et al.), 594
 - electrocardiogram, changes in ST waveform of, with hypoxemia (Greene et al.), 950
 - lung maturity, phosphatidylglycerol and (Plauché, Faro, and Letellier), 166
 - and maternal circulating catecholamines, effect of labor on (Jones and Greiss), 149 pharmacokinetics of moxalactam given intrapartum (Bawdon
 - et al.), 546 membranes, premature rupture of, comparison of aggressive and
 - conservative management of (Barrett and Boehm), 12 monkeys, variable heart rate decelerations and transcutaneous Po2
 - during umbilical cord occlusion in (Mueller-Heubach and Battelli), 796
 - movement, effect of abolition of, on fetal intravascular Po2 and incidence of tonic myometrial contractures in pregnant ewe at 114 to 134 days' gestation (Nathanielsz, Yu, and Cabalum), 614

Fetal-Cont'd

- neonatal, and maternal responses after epidural anesthesia in preclamptic patient, sympathoadrenal activity (Abboud et al.), 915
- pulmonary maturity, incidence of Grade III changes in placenta in correlation to, I. Changes in placental ultrasonic appearance (Quinlan et al.), 468
 - use of ultrasound in prediction of (Petrucha, Golde, and Platt), 931
- scalp blood pH measurement with automated blood microprocessor and clinical blood gas laboratory, comparison of (Pearse and Paul), 40
- serum cortisol levels, human, related to gestational age: evidence of midgestational fall and steep late gestational rise, independent of sex or mode of delivery (Pearson Murphy), 276
 - thiocyanate levels and maternal passive smoking (Bottoms et al.), 787
- tachypnea, intrauterine (Romero et al.), 356 (Comm. in brief) urinary tract obstruction: what is role of surgical intervention in
- utero (Berkowitz et al.), 367
- weight estimation from ultrasonic three-dimensional head and trunk reconstructions: evaluation in vitro (Brinkley et al.), 715
- Fetoplacental endocrine response, ovine, to placental damage (Clapp et al.), 47
- Fetoprotein, alpha-, determinations, false negative maternal serum, in myelodysplasia: role of ultrasound (Platt et al.), 352
 - elevated maternal serum, second-trimester placental changes associated with (Perkes et al.), 935
- Fetus (fetuses), average for gestational age, I. Development of fetal acidosis in presence of abnormal fetal heart rate tracing (Fleischer et al.), 55
- diagnosis and significance of pericardial effusion in, using realtime-directed M-mode ultrasound, II. Fetal echocardiography (DeVore et al.), 693
- live, presenting as placenta previa on ultrasound, coexisting hydatidiform mole with (Yee, Tu, and Platt), 728 (Comm. in brief) and mother, concordance in: teratomas (Rayburn and Barr), 110
- (Comm. in brief) and pregnant ewe, effect of maternal ketoacidemia on (Miodovnik et al.), 585
- of unknown gestational age, intrauterine growth retardation risk detection for (Sholl et al.), 709
- Fistula, tubocutaneous (Wittich, Morales, and Braeuer), 109 (Comm. in brief)
- Folate, carotene, and smoking (Witter et al.), 857 (Comm. in brief) Folinic acid-methotrexate versus methotrexate alone, results of: treat-
- ment of nonmetastatic gestational trophoblastic disease (Smith et al.), 88 Follicle size, ovarian, ultrasonic measurement of, and serum estradiol
- levels, correlation of, in ovulatory patients following clomi-phene citrate for in vitro fertilization (Vargyas et al.), 569
- -stimulating hormone deficiency, isolated, in woman with X chromosomal mosaicism (Schmidt et al.), 601
- Follicular and luteal phases, comparisons to those in nonpregnant women during: insulin receptors on erythrocytes in normal and obese pregnant women (Toyoda), 679

Gallbladder disease in pregnancy (Stauffer et al.), 661

- Gamma globulin therapy during pregnancy in mother with hypo-gammaglobulinemia (Hausser and Buriot), 112 (Comm. in brief)
- Gentamicin-clindamycin versus cefamandole, double-blind, randomized comparison of, for treatment of post-cesarean section endomyometritis (Gibbs et al.), 261
- Gestagen/estrogen, cyclic, dose-response evaluation of, in postmenopausal women: placebo-controlled trial of its gynecologic and metabolic actions (Christensen et al.), 873
- Gestation, effects of, on glucose tolerance and plasma insulin in cynomolgus monkeys (Macaca fascicularis) (Meis et al.), 543
- 114 to 134 days', effect of abolition of fetal movement on fetal intravascular Po2 and incidence of tonic myometrial contractures in pregnant ewe at (Nathanielsz, Yu, and Cabalum), 614
- Gestational age, fetal, ultrasonic measurement of femur length as index of (Yeh et al.), 519

Gestational age-Cont'd

- human fetal serum cortisol levels related to: evidence of midgestational fall and steep late gestational rise, independent of sex or mode of delivery (Pearson Murphy), 276
- relationship of placental grade to (Petrucha and Platt), 733 (Comm. in brief)
- unknown, intrauterine growth retardation risk detection for fetuses of (Sholl et al.), 709
- diabetes, comparison of glycohemoglobin determination and onehour oral glucose screen in identification of (Shah et al.),
- criteria for screening tests for (Carpenter and Coustan), 768 trophoblastic disease, fatal: analysis of treatment failures (Lurain
- et al.), 391 nonmetastatic, treatment of: results of methotrexate alone versus methotrexate-folinic acid (Smith et al.), 88
 - placental protein 5 in: localization and circulating levels (Nisbet et al.), 396
- Gestrinone (R-2323), synthetic antiestrogen, antiprogesterone, treatment of endometriosis with (Coutinho), 895
- Globulin, sex hormone binding, -binding capacity and unbound sex steroids, changes in, during oral and vaginal progestogen administration (Granger, Roy, and Mishell), 578
- Glucose screen, one-hour oral, and glycohemoglobin determination, comparison of, in identification of gestational diabetes (Shah et al.), 774
 - tolerance and plasma insulin, effects of gestation on, in cynomolgus monkeys (Macaca fascicularis) (Meis et al.), 543
- Glycogen content, placental lipid and, in human and experimental diabetes mellitus (Diamant et al.), 5
- Glycohemoglobin determination and one-hour oral glucose screen, comparison of, in identification of gestational diabetes (Shah et al.), 774
- Gonadotropin, human chorionic, evaluation of sensitivity of five home pregnancy tests to known concentrations of (Hanlon et al.), 778
- secretion, presumptive role for gamma-aminobutyric acid in regula-
- tion of, in man (Elias et al.), 72 Gonorrhea during intrapartum period (Solola, Ryan, and Ling), 351 (Comm. in brief)
- limulus lysate assay in detection of, in women from low-incidence population (Hainer et al.), 67
- Growth, insufficient fetal, enhanced reactivity of platelet thromboxane pathway in normotensive and hypertensive pregnancies
- with (Wallenburg and Rotmans), 523

 Gynecologic and metabolic actions, its, placebo-controlled trial of:
 dose-response evaluation of cyclic estrogen/gestagen in
- postmenopausal women (Christensen et al.), 873 surgery, benign, redistribution of (Friedrich), 177
- Gynecologist(s) and dying cancer patient (Gallup, Labudovich, and Zambito), 154 and midwives, neonatal morbidity in deliveries conducted by
- (Lievaart and de Jong), 376 Gynecology/obstetrics, collaborative practice in: implications for cost, quality, and productivity (Burchell et al.), 631 (Clinical
 - opinion)
 - departments of, survival of: ten points for Association of Professors of Gynecology and Obstetrics action in 1980s (Spellacy), 626
 - manpower for. III. Contributions to total female medical care (Pearse et al.), 332

- Head and trunk reconstructions, ultrasonic three-dimensional, fetal weight estimation from: evaluation in vitro (Brinkley et al.), 715
- Heart rate accelerations, fetal, and late decelerations during course of intrauterine death in chronically catheterized rhesus mon
 - keys (Murata et al.), 218 decelerations, spontaneous fetal, during antepartum nonstress testing and intrauterine growth retardation, association of (Pazos et al.), 574
 - variable, and transcutaneous Po₂ during umbilical cord occlu-sion in fetal monkeys (Mueller-Heubach and Battelli), 796 fetal, mechanisms of late decelerations of, during hypoxia (Harris,
 - Krueger, and Parer), 491 maternal, and gross fetal body movements, influence of, on daily pattern of fetal heart rate near term (Patrick et al.), 533

Heart rate-Cont'd

response, fetal, to scalp blood sampling (Clark, Gimovsky, and Miller), 706

tracing, abnormal fetal, development of fetal acidosis in presence of. I. Average for gestational age fetus (Fleischer et al.), 55

variability, fetal, and maternal hemodynamics, significant correlation between (Kariniemi et al.), 43

Hemodynamic(s) in hypertensive pregnancy, echocardiographic esti-mation of (Kuzniar et al.), 430

maternal, and fetal heart rate variability, significant correlation between (Kariniemi et al.), 43

observations, peripartum, I. Severe preeclampsia (Phelan and Yurth), 17

response, uterine, to repetitive unilateral vascular embolization in pregnant ewe (Clapp et al.), 309

Hemoglobinopathies, sickle, therapy for pregnant patient with: na-tional focus (Morrison, Blake, and Reed), 268

Hemolytic anemia, severe, leukemoid reaction, acidosis, hypokalemia, and transient hepatitis associated with administration of ritodrine hydrochloride (Yutopar) (Alcena), 852 (Comm. in brief)

Hemorrhage, fatal intracranial, complicating amniocentesis (Portman and Brouillette), 731 (Comm. in brief)

severe postpartum, cause of: factor VIII inhibitor (Reece, Fox, and Rapoport), 985 (Comm. in brief)

Hepatitis, transient, severe hemolytic anemia, leukemoid reaction, acidosis, and hypokalemia associated with administration of ritodrine hydrochloride (Yutopar) (Alcena), 852 (Comm. in brief)

Herpes simplex genitalis, asymptomatic, incidence and outcome of, in obstetric population (Scher et al.), 906 virus type 2, effect of prostaglandins on multiplication and cell-

to-cell spread of, in vitro (Baker et al.), 346

Heterotopic columnar epithelium and adenosis in vagina of mouse after neonatal treatment with clomiphene citrate (Gorwill, Steele, and Sarda), 529

Hirsutism and menstrual patterns in women exposed to diethylstil-bestrol in utero (Peress et al.), 135

Histologic correlates of virulence in ovarian adenocarcinoma. II. Morphologic correlates of host response (Deligdisch, Jacobs, and Cohen), 885

Hormone, α -melanocyte-stimulating, and β -endorphin immunoreactivity, amniotic fluid, in normal and complicated pregnancies (Divers et al.), 539

binding globulin, sex, -binding capacity and unbound sex steroids, changes in, during oral and vaginal progestogen administration (Granger, Roy, and Mishell), 578 deficiency, isolated follicle-stimulating, in woman with X chromo-

somal mosaicism (Schmidt et al.), 601

Hospital(s), community, fifteen years' experience in: shoulder dystocia (Hopwood), 162

urban and rural, comparison of cesarean section morbidity in (Richards and Richards), 270

Host response, morphologic correlates of, II. Histologic correlates of virulence in ovarian adenocarcinoma (Deligdisch, Jacobs, and Cohen), 885

Human chorionic gonadotropin, evaluation of sensitivity of five home pregnancy tests to known concentrations of (Hanlon et al.), 778

somatomammotropin, biologic activity and quantification of messenger RNA coding for, in normal and intrauterine growth-retarded pregnancies (Hubert, Mondon, and Cedard), 722

placental lactogen, radioimmunologic method applied for analyses of, on minimal amounts of capillary whole blood (Axelsson and Englund), 984 (Comm. in brief)

Hydatidiform mole(s), coexisting, with live fetus presenting as pla-centa previa on ultrasound (Yee, Tu, and Platt), 728 (Comm. in brief)

three complete, with 46,XY karyotype, dispernic origin and clinical outcome of (Surti, Szulman, and O'Brien),

Hydroxybutyrate, beta, cardiovascular and biochemical effects of in-fusion of, into fetal lamb (Miodovnik et al.), 594

Hydroxycorticosterone (18-), urinary free, plasma aldosterone, and urinary aldosterone metabolites in normal pregnancy (Bauknecht et al.), 28

Hyperprolactinemia, development of adenomyosis associated with evidence of, effects of prenatal exposure of mice to "lowdose" diethylstilbestrol and (Huseby and Thurlow), 939

Hypertension, pregnancy-induced, incidence of, is increased among Colorado residents at high altitude (Moore et al.), 423

Hypertensive and normotensive pregnancies with insufficient fetal growth, enhanced reactivity of platelet thromboxane pathway in (Wallenburg and Rotmans), 523

pregnancy, echocardiographic estimation of hemodynamics in (Kuźniar et al.), 430

Hypogammaglobulinemia, gamma globulin therapy during pregnancy in mother with (Hausser and Buriot), 112 (Comm. in brief) Hypokalemia, transient hepatitis, severe hemolytic anemia, leukemoid

reaction, and acidosis associated with administration of ritodrine hydrochloride (Yutopar) (Alcena), 852 (Comm. in

Hypoperistalsis-megacystis-microcolon syndrome and anechoic areas in fetal abdomen (Nelson and Reiff), 464

Hypoxemia, changes in ST waveform of fetal lamb electrocardiogram with (Greene et al.), 950

effect of β -adrenergic stimulation on fetal cardiovascular function during (Cohn, Piasecki, and Jackson), 810

Hypoxia, mechanisms of late decelerations of fetal heart rate during

(Harris, Krueger, and Parer), 491 Hysterectomy, abdominal and vaginal, complications of, among women of reproductive age in United States (Dicker et al.),

Immune thrombocytopenia, clinically diagnosed, prenatal prediction of thrombocytopenia in infants of mothers with (Kelton et al.), 449

Immunopathologic study of implantation site in molar pregnancy (Berkowitz et al.), 925

Immunoreactivity, amniotic fluid β-endorphin and α-melanocytestimulating hormone, in normal and complicated pregnancies (Divers et al.), 539

Implantation site in molar pregnancy, immunopathologic study of (Berkowitz et al.), 925

Implants, progesterone, versus placebo and copper T, comparative performance of, II. Fertility regulation in nursing women (Croxatto et al.), 201

In memoriam, 121

Incision, uterine, abdominal delivery without, or laparoelytrotomy (Goodlin et al.), 990 (Comm. in brief)

Incontinence, genuine stress urinary, significance of urethral vascular pulsations in (Hebert, Francis, and Ostergard), 828

Indium 113m and computer-linked gamma camera, measurements with: uteroplacental blood flow in diabetic pregnancy (Nylund et al.), 298

Infant(s) Apgar scores, maternal cigarette smoking, and psychoactive substance use (Hingson et al.), 959

of mothers with clinically diagnosed immune thrombocytopenia, prenatal prediction of thrombocytopenia in (Kelton et al.), 449

of preeclamptic mothers, edema, proteinuria, thrombocytopenia, and leukopenia in (Mirro and Brown), 851 (Comm. in brief)

puerperal tuberculosis with death of (Niles), 131

Infectious mastitis and occurrence of antibody-coated bacteria in milk (Thomsen), 350 (Comm. in brief)

Infertility in endometriosis, possible cause of: sperm phagocytosis by human peritoneal macrophages (Muscato, Haney, and Weinberg), 503

recurrent abortion, and intrauterine growth retardation in five cases: impaired reproductive performance of unicornuate uterus (Andrews and Jones), 173

Informed consent requirements, abortion and (Kapp), 1 (Clinical opinion)

Infusion of beta hydroxybutyrate into fetal lamb, cardiovascular and biochemical effects of (Miodovnik et al.), 594

Insulin, plasma, and glucose tolerance, effects of gestation on, in cynomolgus monkeys (Macaca fascicularis) (Meis et al.),

receptors on erythrocytes in normal and obese pregnant women: comparisons to those in nonpregnant women during follicular and luteal phases (Toyoda), 679

requirements during labor: reappraisal (Golde et al.), 556

- Intestinal perforation, spontaneous, in utero: ultrasonic diagnostic criteria (Shalev et al.), 855 (Comm. in brief)
- polypeptide, vasoactive, effect of, on uterine blood flow in pregnant ewes (Clark, Austin, and Stys), 497
- Intracranial hemorrhage, fatal, complicating amniocentesis (Portman and Brouillette), 731 (Comm. in brief)
- Intraepithelial squamous lesions of vulva: biologic and histologic criteria for distinction of condylomas from vulvar intraepithelial neoplasia (Crum et al.), 77
- Intrapartum, maternal and fetal pharmacokinetics of moxalactam given (Bawdon et al.), 546
- period, gonorrhea during (Solola, Ryan, and Ling), 351 (Comm. in brief)
- Intraperitoneal chromic phosphate in peritoneoscopically confirmed Stage I ovarian adenocarcinoma (Piver et al.), 836
- Intraurethral pressure, maximum, location of, related to urogenital diaphragm in female subject as studied by simultaneous urethrocystometry and voiding urethrocystography (Westby, Asmussen, and Ulmsten), 408
- Intrauterine death, fetal heart rate accelerations and late decelerations during course of, in chronically catheterized rhesus monkeys (Murata et al.), 218
- decompression of megalocystis during second trimester of pregnancy (Gadziala et al.), 355 (Comm. in brief)
- fetal tachypnea (Romero et al.), 356 (Comm. in brief)
- growth retardation, infertility, and recurrent abortion in five cases: impaired reproductive performance of unicornuate uterus (Andrews and Jones), 173
 - risk detection for fetuses of unknown gestational age (Sholl et al.), 709
 - spontaneous fetal heart decelerations during antepartum nonstress testing and, association of (Pazos et al.), 574
 - ultrasound fetal femur length in relation to. Part II (O'Brien and Queenan), 35
- -retarded and normal pregnancies, biologic activity and quantification of messenger RNA coding for human chorionic somatomammotropin in (Hubert, Mondon, and Cedard), 722
- Intravascular Po2, fetal, and incidence of tonic myometrial contractures, effect of abolition of fetal movement on, in pregnant ewe at 114 to 134 days' gestation (Nathanielsz, Yu, and Cabalum), 614
- Items, 122, 242, 366, 490, 619-620, 744, 868, 1000

- Karyotype(s), balanced translocation, in patients with repetitive abortion (Davis et al.), 229
- 46,XY, dispermic origin and clinical outcome of three complete hydatidiform moles with (Surti, Szulman, and O'Brien), 84
- Ketoacidemia, maternal, effect of, on pregnant ewe and fetus (Miodovnik et al.), 585

- Labeled precursors, asymmetric release of estrone and estradiol derived from, in perfused human placentas (Gurpide et al.), 551
- Labor board, partographic: alternative for earlier decisions regarding management during labor (Earn), 858 (Comm. in brief)
- and delivery outcomes, impact of intensive prenatal care on: North-western University Drug Dependence Program (Rosner, Keith, and Chasnoff), 23
- dysfunctional, oxytocin augmentation of. I. Clinical data (Seitchik and Castillo), 899
- effect of, on maternal and fetal circulating catecholamines (Jones and Greiss), 149
- insulin requirements during: reappraisal (Golde et al.), 556 new cervical perfusion method for induction of, with prostaglandins (Boemi, Reitano, and Cianci), 476
- preterm, plasma levels of oxytocin and 13,14-dihydro-15-keto prostaglandin F20 in, and effect of ethanol and ritodrine (Fuchs et al.), 753
- third stage of, raised prostaglandin levels in (Sellers et al.), 209 trial of, following cesarean section: two-year experience (Meier and
- Porreco), 671 Laboratory, clinical blood gas, and automated blood microprocessor, comparison of fetal scalp blood pH measurement with
- (Pearse and Paul), 40 Lactating mothers of different ages, bone mineral status of (Chan et al.), 438

- Laparoelytrotomy or abdominal delivery without uterine incision (Goodlin et al.), 990 (Comm. in brief)
- Laparoscopic sterilization occlusion techniques, different, comparison of, in 24,439 procedures (Bhiwandiwala, Mumford, and Feldblum), 319 Laser, carbon dioxide, use of, in therapy of cervical intraepithelial
- neoplasia (Burke), 337
- Leiomyomas, uterine, and ovarian vein thrombosis, massive ascites with (Gal et al.), 729 (Comm. in brief)
- Leiomyomatosis peritonealis disseminata (Pearce), 133
 - report of case in nonpregnant woman (Ceccacci, Jacobs, and Powell), 105 (Comm. in brief)
- Leiomyosarcoma of uterus (Van Dinh and Woodruff), 817
- Lesions, intraepithelial squamous, of vulva: biologic and histologic criteria for distinction of condylomas from vulvar intraepithelial neoplasia (Crum et al.), 77
- Leukemoid reaction, acidosis, hypokalemia, transient hepatitis, and severe hemolytic anemia associated with administration of ritodrine hydrochloride (Yutopar) (Alcena), 852 (Comm. in brief)
- Leukopenia, edema, proteinuria, and thrombocytopenia in infants of preeclamptic mothers (Mirro and Brown), 851 (Comm. in brief)
- Limulus lysate assay in detection of gonorrhea in women from lowincidence population (Hainer et al.), 67
- Lipid and glycogen content, placental, in human and experimental diabetes mellitus (Diamant et al.), 5
- Lipotropin, β -, and β -endorphin concentrations in umbilical cord
- blood (Shaaban et al.), 560 Liver and ductus venosus, portal venous blood flow distribution to, in newborn lambs (Botti et al.), 303
- Lung maturity, enzyme-linked immunosorbent assay for prenatal assessment of: surfactant "apoproteins" in human amniotic fluid (Shelley et al.), 224
 - fetal, phosphatidylglycerol and (Plauché, Faro, and Letellier), 166 tissue, rabbit, effect of estrogen and progesterone on β -adrenergic receptor activity in (Moawad, River, and Kilpatrick), 608
- Luteal and follicular phases, comparisons to those in nonpregnant women during: insulin receptors on erythrocytes in normal and obese pregnant women (Toyoda), 679
- Lymphocytes from patients with cervical squamous malignancy, sequential in vitro reactivity of, in cytotoxicity assay (Dini and Faiferman), 341

- Macrophages, peritoneal, sperm phagocytosis by: possible cause of infertility in endometriosis (Muscato, Haney, and Weinberg), 503
- Magnesium sulfate and volume expanders, preliminary report on treatment of severe preeclampsia-eclampsia with (Liu), 983 (Comm. in brief)
- Malignancy, cervical squamous, sequential in vitro reactivity of lymphocytes from patients with, in cytotoxicity assay (Dini and Faiferman), 341
- Manpower for obstetrics-gynecology. III. Contributions to total female medical care (Pearse et al.), 332
- Mastitis, infectious, and occurrence of antibody-coated bacteria in milk (Thomsen), 350 (Comm. in brief)
- Maternal cigarette smoking, psychoactive substance use, and infant Apgar scores (Hingson et al.), 959
- and fetal circulating catecholamines, effect of labor on (Jones and Greiss), 149
 - and neonatal responses after epidural anesthesia in preeclamptic patient, sympathoadrenal activity (Abboud et al.), 915 pharmacokinetics of moxalactam given intrapartum (Bawdon
- et al.), 546 heart rate and gross fetal body movements, influence of, on daily
- pattern of fetal heart rate near term (Patrick et al.), 533 hemodynamics and fetal heart rate variability, significant correlation between (Kariniemi et al.), 43
- ketoacidemia, effect of, on pregnant ewe and fetus (Miodovnik et al.), 585 passive smoking and fetal serum thiocyanate levels (Bottoms et al.),
- serum alpha-fetoprotein determinations, false negative, in myelo
 - dysplasia: role of ultrasound (Platt et al.), 352 (Comm. in elevated, second-trimester placental changes associated with
 - (Perkes et al.), 935

- Medical care, total female, contributions to, III. Manpower for obstetrics-gynecology (Pearse et al.), 332
- Megacystis-microcolon-hypoperistalsis syndrome and anechoic areas in fetal abdomen (Nelson and Reiff), 464
- Megalocystis, intrauterine decompression of, during second trimester of pregnancy (Gadziala et al.), 355 (Comm. in brief)
- Melanocyte, α -, –stimulating hormone and β -endorphin immunoreactivity, amniotic fluid, in normal and complicated pregnancies (Divers et al.), 539
- Membrane(s), fetal, premature rupture of, comparison of aggressive and conservative management of (Barrett and Boehm), 12 tenting, role of: failed amniocentesis (Platt, DeVore, and Gimovsky), 479 (Comm. in brief)
- Menses and use of catamenial products, effect of, on cervical carriage of Staphylococcus aureus (Noble, Jacobson, and Smith), 186
- of *Staphytococcus aureus* (1900ie, Jacobson, and Smith), 180 Menstrual cycle, fluctuation of serum concentration of 1,25-dihydroxyvitamin D₃ during (Gray et al.), 880
- patterns, hirsutism and, in women exposed to diethylstilbestrol in utero (Peress et al.), 135
- Messenger RNA coding for human chorionic somatomammotropin, biologic activity and quantification of, in normal and intrauterine growth-retarded pregnancies (Hubert, Mondon, and Cedard), 722
- Metabolic and gynecologic actions, its, placebo-controlled trial of: dose-response evaluation of cyclic estrogen/gestagen in postmenopausal women (Christensen et al.), 873
- Metabolites, urinary aldosterone, urinary free 18-hydroxycorticosterone, and plasma aldosterone in normal pregnancy (Bauknecht et al.), 28
- Metastatic (non-) gestational trophoblastic disease, treatment of: results of methotrexate alone versus methotrexate-folinic acid (Smith et al.), 88
- Methylergometrine-induced and spontaneous activity post partum, effects of nifedipine on (Forman et al.), 442
- Microcolon-hypoperistalsis-megacystis syndrome and anechoic areas in fetal abdomen (Nelson and Reiff), 464
- in fetal abdomen (Nelson and Reiff), 464
 Microprocessor, automated blood, and clinical blood gas laboratory,
 comparison of fetal scalp blood pH measurement with
 (Pearse and Paul), 40
- Midwives and gynecologists, neonatal morbidity in deliveries conducted by (Lievaart and de Jong), 376
- Milk, infectious mastitis and occurrence of antibody-coated bacteria in (Thomsen), 350 (Comm. in brief)
- Mineral status, bone, of lactating mothers of different ages (Chan et al.), 438
- Molar pregnancy, immunopathologic study of implantation site in (Berkowitz et al.), 925
- Monitoring fetal activity, clinical implications from (Rayburn), 967 (Current developments)
- Morbidity, cesarean section, comparison of, in urban and rural hospitals (Richards and Richards), 270
- neonatal, in deliveries conducted by midwives and gynecologists
 (Lievaart and de Jong), 376
 Morphologic correlates of host response II. Histologic correlates of
- Morphologic correlates of host response, II. Histologic correlates of virulence in ovarian adenocarcinoma (Deligdisch, Jacobs, and Cohen), 885
- Mosaicism, X chromosomal, isolated follicle-stimulating hormone deficiency in woman with (Schmidt et al.), 601
- Mother(s) with clinically diagnosed immune thrombocytopenia, prenatal prediction of thrombocytopenia in infants of (Kelton et al.), 449
- and fetus, concordance in: teratomas (Rayburn and Barr), 110 (Comm. in brief)
- with hypogammaglobulinemia, gamma globulin therapy during pregnancy in (Hausser and Buriot), 112 (Comm. in brief)
- lactating, of different ages, bone mineral status of (Chan et al.), 438 preeclamptic, edema, proteinuria, thrombocytopenia, and leukopenia in infants of (Mirro and Brown), 851 (Comm. in brief)
- Movement(s), fetal, effect of abolition of, on fetal intravascular Po₂ and incidence of tonic myometrial contractures in pregnant ewe at 114 to 134 days' gestation (Nathanielsz, Yu, and Cabalum), 614
- gross fetal body, and maternal heart rate, influence of, on daily pattern of fetal heart rate near term (Patrick et al.), 533
- human fetal breathing, after carbohydrate ingestion in fasting and nonfasting subjects (Fox, Hohler, and Steinbrecher), 213
- Moxalactam given intrapartum, maternal and fetal pharmacokinetics of (Bawdon et al.), 546

- Myelodysplasia, false negative maternal serum alpha-fetoprotein determinations in: role of ultrasound (Platt et al.), 352 (Comm. in brief)
- Myocardial injury following immediate postnatal circumcision (Ruff et al.), 850 (Comm. in brief)
- Myometrial contractures, tonic, incidence of, and fetal intravascular Po₃, effect of abolition of fetal movement on, in pregnant ewe at 114 to 134 days' gestation (Nathanielsz, Yu, and Cabalum), 614

N

- Neonatal, fetal, and maternal responses after epidural anesthesia in preeclamptic patient, sympathoadrenal activity (Abboud et al.), 915
 - morbidity in deliveries conducted by midwives and gynecologists (Lievaart and de Jong), 376
 - resuscitation, anticoagulation of autologous cord blood for (Golden, O'Brien, and Metz), 103 (Comm. in brief)
- treatment with clomiphene citrate, heterotopic columnar epithelium and adenosis in vagina of mouse after (Gorwill, Steele, and Sarda), 529
- Newborn lambs, portal venous blood flow distribution to liver and ductus venosus in (Botti et al.), 303
- Nifedipine, effects of, on oxytocin- and prostaglandin $F_{2\alpha}$ -induced activity in postpartum uterus (Forman et al.), 665
 - on spontaneous and methylergometriae-induced activity post partum (Forman et al.), 442
- Nonstress testing, antepartum, spontaneous fetal heart rate decelerations during, and intrauterine growth retardation, association of (Pazos et al.), 574
- Northwestern University Drug Dependence Program: impact of intensive prenatal care on labor and delivery outcomes (Rosner, Keith, and Chasnoff), 23
- Nulliparous women, healthy, urethral pressure profile in pregnancy and after delivery in (van Geelen et al.), 636
- Nursing women, fertility regulation in. II. Comparative performance of progesterone implants versus placebo and copper T (Croxatto et al.), 201

0

- Obese and normal pregnant women, insulin receptors on erythrocytes in: comparisons to those in nonpregnant women during follicular and luteal phases (Toxoda) 679
 - follicular and luteal phases (Toyoda), 679
 women and estrogen users, prognostic features of endometrial
 cancer in (La Vecchia et al.), 387
- Obstetric(s)/gynecology, collaborative practice in: implications for cost, quality, and productivity (Burchell et al.), 631 (Clinical opinion)
 - departments of, survival of: ten points for Association of Professors of Gynecology and Obstetrics action in 1980s (Spellacy), 626
 - manpower for: III. Contributions to total female medical care (Pearse et al.), 332
- population, incidence and outcome of asymptomatic herpes simplex genitalis in (Scher et al.), 906
- Occlusion techniques, different laparoscopic sterilization, comparison of, in 24,439 procedures (Bhiwandiwala, Mumford, and Feldblum), 319
 - umbilical cord, variable heart rate decelerations and transcutaneous Po₂ during, in fetal monkeys (Mueller-Heubach and Battelli), 796
- Ogilvie's syndrome in post-cesarean section patient (Reece, Petrie, and Hutcherson), 849 (Comm. in brief)
- Oligomenorrhea and amenorrhea, prevalence of, in college population (Bachmann and Kemmann), 98
- Operations, second-look, in planned management of advanced ovarian carcinoma (Raju et al.), 650
- Oral contraceptives and pelvic inflammatory disease (Rubin, Ory, and Layde), 630
 - venous and arterial thromboembolic disease in women using (Miller and Pizzo), 824
- glucose screen, one-hour, and glycohemoglobin determination, comparison of, in identification of gestational diabetes (Shah et al.), 774
- and vaginal progestogen administration, changes in unbound sex steroids and sex hormone binding globulin-binding capacity during (Granger, Roy, and Mishell), 578
- Orbital diameters: new parameter for prenatal diagnosis and dating (Mayden et al.), 289

- Osmotic fragility, increased erythrocyte, in pregnancy (Magid, Perlin, and Gottfried), 910
- Outpatient breast biopsies on gynecologic service (Mitchell and Homer), 127
- Ovarian adenocarcinoma, histologic correlates of virulence in. II. Morphologic correlates of host response (Deligdisch, Jacobs, and Cohen), 885
 - peritoneoscopically confirmed Stage I, intraperitoneal chromic phosphate in (Piver et al.), 836
- carcinoma, advanced, second-look operations in planned management of (Raju et al.), 650
- follicle size, ultrasonic measurement of, and serum estradiol levels, correlation of, in ovulatory patients following clomiphene citrate for in vitro fertilization (Vargyas et al.), 569
- vein thrombosis and uterine leiomyomas, massive ascites with (Gal et al.), 729 (Comm. in brief)
- Ovulatory patients, correlation of ultrasonic measurement of ovarian follicle size and serum estradiol levels in, following clomiphene citrate for in vitro fertilization (Vargyas et al.), 569
- Oxytocin augmentation of dysfunctional labor. 1. Clinical data (Seitchik and Castillo), 899
- and prostaglandin $F_{2\alpha}$ -induced activity, effects of nifedipine on, in postpartum uterus (Forman et al.), 665
- and 13,14-dihydro-15-keto prostaglandin $F_{2\alpha}$, plasma levels of, in preterm labor and effect of ethanol and ritodrine (Fuchs et al.), 753

- Pain after cesarean section, unusual cause of (Baker, Cefalo, and Dorton), 982 (Comm. in brief)
- Papers of Society for Gynecologic Investigation, 491-618
- Partial thromboplastin time, modified activated, with use of amniotic fluid (Weiner and Brandt), 234
- Partographic labor board: alternative for earlier decisions regarding management during labor (Earn), 858 (Comm. in brief)
- Partum, effects of nifedipine on spontaneous and methylergometrineinduced activity post (Forman et al.), 442
- Pathologic significance of Grade III placental changes, II. Changes in
- placental ultrasonic appearance (Quinlan et al.), 471 Pelvic endometriosis and Turner's syndrome (Peress et al.), 474 (Comm. in brief)
- inflammatory disease and oral contraceptives (Rubin, Ory, and Layde), 630
- Perforation, spontaneous intestinal, in utero: ultrasonic diagnostic criteria (Shalev et al.), 855 (Comm. in brief)
- Perfused human placentas, asymmetric release of estrone and estradiol derived from labeled precursors in (Gurpide et al.), 551 Perfusion method, new cervical, for induction of labor with prosta-
- glandins (Boemi, Reitano, and Cianci), 476 (Comm. in
- Pericardial effusion in fetus, diagnosis and significance of, using realtime-directed M-mode ultrasound, II. Fetal echocardiography (DeVore et al.), 693
- Peripartum cardiomyopathy and Wolff-Parkinson-White syndrome in pregnant patient (Barfield), 989 (Comm. in brief)
- hemodynamic observations, I. Severe preeclampsia (Phelan and Yurth), 17
- Peritoneal macrophages, sperm phagocytosis by: possible cause of infertility in endometriosis (Muscato, Haney, and Weinberg), 503
- Peritoneoscopically confirmed Stage I ovarian adenocarcinoma, intra-
- peritoneal chromic phosphate in (Piver et al.), 836 Peritonitis, spontaneous bacterial, in pregnancy (Stauffer, Wygal, and Lavery), 104 (Comm. in brief)
- pH measurement, fetal scalp blood, with automated blood microprocessor and clinical blood gas laboratory, comparison of (Pearse and Paul), 40
- Phagocytosis, sperm, by human peritoneal macrophages: possible cause of infertility in endometriosis (Muscato, Haney, and Weinberg), 503
- Pharmacodynamic properties of various estrogen formulations, comparison of (Mashchak et al.), 511
- Pharmacokinetics, maternal and fetal, of moxalactam given intrapartum (Bawdon et al.), 546
- Phosphatidylglycerol and fetal lung maturity (Plauché, Faro, and Letellier), 166
- Placenta(s), human term, specific cytosolic estrogen receptor in (Kneussl, Ances, and Albrecht), 803

- Placenta(s)-Cont'd
- membranacea partialis, recurrent bleeding associated with: report of case (Las Heras, Harding, and Haust), 480 (Comm. in brief)
- perfused human, asymmetric release of estrone and estradiol derived from labeled precursors in (Gurpide et al.), 551
- previa, live fetus presenting as, on ultrasound, coexisting hydatidiform mole with (Yee, Tu, and Platt), 728 (Comm. in brief) Placental changes, second-trimester, associated with elevated maternal
- serum α-fetoprotein (Perkes et al.), 935 damage, ovine fetoplacental endocrine response to (Clapp et al.),
- grade, relationship of, to gestational age (Petrucha and Platt), 733 (Comm. in brief)
- lactogen, human, radioimmunologic method applied for analyses of, on minimal amounts of capillary whole blood (Axelsson and Englund), 984 (Comm. in brief)
- lipid and glycogen content in human and experimental diabetes mellitus (Diamant et al.), 5
- protein 5 in gestational trophoblastic disease: localization and circulating levels (Nisbet et al.), 396
- 12, radioimmunoassay of: levels in amniotic fluid, cord blood, and serum of healthy adults, pregnant women, and patients with trophoblastic disease (Rutanen, Bohn, and Seppälä), 460
- ultrasonic appearance, changes in. I. Incidence of Grade III changes in placenta in correlation to fetal pulmonary maturity (Quinlan et al.), 468
 - II. Pathologic significance of Grade III placental changes (Quinlan et al.), 471
- Plasma aldosterone, urinary aldosterone metabolites, and urinary free 18-hydroxycorticosterone in normal pregnancy (Bauknecht et al.), 28
- insulin and glucose tolerance, effects of gestation on, in cynomolgus monkeys (Macaca fascicularis) (Meis et al.), 543
- levels of oxytocin and 13,14-dihydro-15-keto prostaglandin F20 in preterm labor and effect of ethanol and ritodrine (Fuchs et al.), 753
- Platelet thromboxane pathway, enhanced reactivity of, in normotensive and hypertensive pregnancies with insufficient fetal growth (Wallenburg and Rotmans), 523
- Pneumonia, antepartum, in pregnancy (Benedetti, Valle, and Ledger), 413
- Po2, fetal intravascular, and incidence of tonic myometrial contractures, effect of abolition of fetal movement on, in pregnant ewe at 114 to 134 days' gestation (Nathanielsz, Yu, and Cabalum), 614
- transcutaneous, and variable heart rate decelerations during umbilical cord occlusion in fetal monkeys (Mueller-Heubach and Battelli), 796
- Polypeptide, vasoactive intestinal, effect of, on uterine blood flow in pregnant ewes (Clark, Austin, and Stys), 497
- Portal venous blood flow distribution to liver and ductus venosus in newborn lambs (Botti et al.), 303
- Postdate pregnancy, comparison of antepartum testing schemes for management of (Eden et al.), 683
- Postmenopausal women, dose-response evaluation of cyclic estrogen/ gestagen in: placebo-controlled trial of its gynecologic and metabolic actions (Christensen et al.), 873
 - receiving estrogen with or without progestin, circadian pattern of prolactin secretion in (Chang et al.), 402
- Postnatal circumcision, immediate, myocardial injury following (Ruff et al.), 850 (Comm. in brief)
- respiratory difficulties associated with "incomplete" surfactant (Penn, Schmidt-Sommerfeld, and Litmeyer), 981 (Comm. in brief)
- Postpartum hemorrhage, severe, cause of: factor VIII inhibitor (Reece, Fox, and Rapoport), 985 (Comm. in brief)
- uterus, effects of nifedipine on oxytocin- and prostaglandin F20induced activity in (Forman et al.), 665
- Preeclampsia-eclampsia, severe, preliminary report on treatment of, with magnesium sulfate and volume expanders (Liu), 983 (Comm. in brief)
- I. Peripartum hemodynamic observations (Phelan and Yurth), 17
- Preeclamptic mothers, edema, proteinuria, thrombocytopenia, and leukopenia in infants of (Mirro and Brown), 851 (Comm. in

Preeclamptic-Cont'd

patient, sympathoadrenal activity, maternal, fetal, and neonatal responses after epidural anesthesia in (Abboud et al.), 915

Pregnancy (pregnancies), antepartum pneumonia in (Benedetti, Valle, and Ledger), 413

complicated, reduced umbilical artery prostacyclin formation in (Dadak et al.), 792

desmoid tumor during (Camiel and Solish), 988 (Comm. in brief) diabetic, uteroplacental blood flow in: measurements with indium 113m and computer-linked gamma camera (Nylund et al.), 298

fetal beta cell function in (Persson et al.), 455

elevated serum ferritin in altered ferrokinetics of toxemia of (Entman, Richardson, and Killam), 418

gallbladder disease in (Stauffer et al.), 661

gamma globulin therapy during, in mother with hypogammaglobulinemia (Hausser and Buriot), 112 (Comm. in brief)

hypertensive, echocardiographic estimation of hemodynamics in (Kuźniar et al.), 430 increased erythrocyte osmotic fragility in (Magid, Perlin, and Gott-

fried), 910
-induced hypertension, incidence of, is increased among Colorado

 -induced hypertension, incidence of, is increased among Colorado residents at high altitude (Moore et al.), 423
 intrauterine decompression of megalocystis during second trimester

of (Gadziala et al.), 355 (Comm. in brief) molar, immunopathologic study of implantation site in (Berkowitz

et al.), 925 normal and complicated, amniotic fluid β -endorphin and α -melanocyte-stimulating hormone immunoreactivity in (Divers

et al.), 539

and intrauterine growth-retarded, biologic activity and quantification of messenger RNA coding for human chorionic
somatomammotropin in (Hubert, Mondon, and Cedard),

somatomammotropin in (Hubert, Mondon, and Cedard), 722 urinary free 18-hydroxycorticosterone, plasma aldosterone, and urinary aldosterone metabolites in (Bauknecht et al.), 28

urinary aldosterone metabolites in (Bauknecht et al.), 28 normotensive and hypertensive, with insufficient fetal growth, enhanced reactivity of platelet thromboxane pathway in (Wallenburg and Rotmans), 523

postdate, comparison of antepartum testing schemes for management of (Eden et al.), 683

spontaneous bacterial peritonitis in (Stauffer, Wygal, and Lavery), 104 (Comm. in brief)

tests, five home, evaluation of sensitivity of, to known concentrations of human chorionic gonadotropin (Hanlon et al.), 778

urethral pressure profile in, and after delivery in healthy nulliparous women (van Geelen et al.), 636

Pregnant ewe(s), effect of abolition of fetal movement on fetal intravascular Po₂ and incidence of tonic myometrial contractures in, at 114 to 134 days' gestation (Nathanielsz, Yu, and Cabalum), 614

vasoactive intestinal polypeptide on uterine blood flow in (Clark, Austin, and Stys), 497

and fetus, effect of maternal ketoacidemia on (Miodovnik et al.), 585

uterine hemodynamic response to repetitive unilateral vascular embolization in (Clapp et al.), 309

(non-) woman, report of case in: leiomyomatosis peritonealis disseminata (Ceccacci, Jacobs, and Powell), 105 (Comm. in brief)

patient with sickle hemoglobinopathies, therapy for: national focus (Morrison, Blake, and Reed), 268 Wolff-Parkinson-White syndrome and peripartum cardiomyopa-

thy in (Barfield), 989 (Comm. in brief)

rabbits, conscious, uterine and peripheral blood concentrations of vasodilator prostaglandins in (Chaudhuri et al.), 760

women, normal and obese, insulin receptors on erythrocytes in: comparisons to those in nonpregnant women during follicular and luteal phases (Toyoda), 679

patients with trophoblastic disease, and healthy adults, levels in amniotic fluid, cord blood, and serum of: radioimmunoassay of placental protein 12 (Rutanen, Bohn, and Seppälä), 460

Premature rupture of fetal membranes, comparison of aggressive and conservative management of (Barrett and Boehm), 12

conservative management of (Barrett and Boehm), 12
Prenatal assessment of lung maturity, enzyme-linked immunosorbent
assay for: surfactant "apoproteins" in human amniotic
fluid (Shelley et al.), 224

Prenatal-Cont'd

care, intensive, impact of, on labor and delivery outcomes: Northwestern University Drug Dependence Program (Rosner, Keith, and Chasnoff), 23

diagnosis and dating, new parameter for: orbital diameters (Mayden et al.), 289

exposure of mice to "low-dose" diethylstilbestrol, effects of, and development of adenomyosis associated with evidence of hyperprolactinemia (Huseby and Thurlow), 939

prediction of thrombocytopenia in infants of mothers with clinically diagnosed immune thrombocytopenia (Kelton et al.), 449

Preterm labor, plasma levels of oxytocin and 13,14-dihydro-15-keto prostaglandin F_{2α} in, and effect of ethanol and ritodrine (Fuchs et al.), 753

Priming, cervical, prior to dilatation and evacuation: comparison of methods (Lauersen et al.), 890

Progesterone and estrogen, effect of, on β-adrenergic receptor activity in rabbit lung tissue (Moawad, River, and Kilpatrick), 608

implants versus placebo and copper T, comparative performance of, II. Fertility regulation in nursing women (Croxatto et al.) 201

Progestin, circadian pattern of prolactin secretion in postmenopausal women receiving estrogen with or without (Chang et al.), 402

Progestogen administration, oral and vaginal, changes in unbound sex steroids and sex hormone binding globulin-binding capacity during (Granger, Roy, and Mishell), 578

Prolactin binding sites on human chorion-decidua tissue (McWey, Singhas, and Rogol), 283

secretion, circadian pattern of, in postmenopausal women receiving estrogen with or without progestin (Chang et al.), 402

Prostacyclin formation, reduced umbilical artery, in complicated pregnancies (Dadak et al.), 792

Prostaglandin(s), effect of, on multiplication and cell-to-cell spread of herpes simplex virus type 2 in vitro (Baker et al.), 346

F₂₀- and oxytocin-induced activity, effects of nifedipine on, in post-

F_{2c}- and oxytoein-induced activity, effects of nifedipine on, in post-partum uterus (Forman et al.), 665 13,14-dihydro-15-keto, and oxytocin, plasma levels of, in preterm

labor and effect of ethanol and ritodrine (Fuchs et al.), 753 levels, raised, in third stage of labor (Sellers et al.), 209

new cervical perfusion method for induction of labor with (Boemi, Reitano, and Cianci), 476

vasodilator, uterine and peripheral blood concentrations of, in conscious pregnant rabbits (Chaudhuri et al.), 760

Protein 5, placental, in gestational trophoblastic disease: localization

rotein 3, piacentai, in gestationai trophobastic disease: localization and circulating levels (Nisbet et al.), 396

12, placental, radioimmunoassay of: levels in amniotic fluid, cord

 placental, radiommunoassay of: levels in amniotic fluid, cord blood, and serum of healthy adults, pregnant women, and patients with trophoblastic disease (Rutanen, Bohn, and Seppälä), 460

Proteinuria, thrombocytopenia, leukopenia, and edema in infants of preeclamptic mothers (Mirro and Brown), 851 (Comm. in brief)

Psychoactive substance use, cigarette smoking, maternal, and infant Apgar scores (Hingson et al.), 959

Puerperal tuberculosis with death of infant (Niles), 131

Pulmonary maturity, fetal, incidence of Grade III changes in placenta in correlation to, I. Changes in placental ultrasonic appearance (Quinlan et al.), 468

use of ultrasound in prediction of (Petrucha, Golde, and Platt), 931

Pulsations, urethral vascular, significance of, in genuine stress urinary incontinence (Hebert, Francis, and Ostergard), 828

Pyloric stenosis, Bendectin (Debendox) as risk factor for (Eskenazi and Bracken), 919

R

Radioimmunoassay of placental protein 12: levels in amniotic fluid, cord blood, and serum of healthy adults, pregnant women, and patients with trophoblastic disease (Rutanen, Bohn, and Seppälä), 460

Radioimmunologic method applied for analyses of human placental lactogen on minimal amounts of capillary whole blood (Axelsson and Englund), 984 (Comm. in brief)

Receptor(s) activity, β-adrenergic, effect of estrogen and progesterone on, in rabbit lung tissue (Moawad, River, and Kilpatrick), 608

Receptor(s)-Cont'd

insulin, on erythrocytes in normal and obese pregnant women: comparisons to those in nonpregnant women during follicular and luteal phases (Toyoda), 679

specific cytosolic estrogen, in human term placenta (Kneussl, Ances, and Albrecht), 803

Rededication to basics (Ridley), 123

Reproductive age, complications of abdominal and vaginal hysterectomy among women of, in United States (Dicker et al.), 841

performance, impaired, of unicornuate uterus: intrauterine growth retardation, infertility, and recurrent abortion in five cases (Andrews and Jones), 173

Respiratory difficulties, postnatal, associated with "incomplete" surfactant (Penn, Schmidt-Sommerfeld, and Litmeyer), 981 (Comm. in brief)

Resuscitation, neonatal, anticoagulation of autologous cord blood for (Golden, O'Brien, and Metz), 103 (Comm. in brief)

Ritodrine and ethanol, effect of, plasma levels of oxytocin and 13,14dihydro-15-keto prostaglandin $F_{2\alpha}$ in preterm labor and (Fuchs et al.), 753

hydrochloride (Yutopar), severe hemolytic anemia, leukemoid reaction, acidosis, hypokalemia, and transient hepatitis associated with administration of (Alcena), 852 (Comm. in brief)

RNA coding, messenger, for human chorionic somatomammotropin, biologic activity and quantification of, in normal and intrauterine growth-retarded pregnancies (Hubert, Mondon, and Cedard), 722

Rupture, premature, of fetal membranes, comparison of aggressive and conservative management of (Barrett and Bochm), 12 Rural and urban hospitals, comparison of cesarean section morbidity

in (Richards and Richards), 270

Scalp blood pH measurement, fetal, with automated blood micropro-cessor and clinical blood gas laboratory, comparison of (Pearse and Paul), 40

sampling, fetal heart rate response to (Clark, Gimovsky, and Miller), 706

Screen, one-hour oral glucose, and glycohemoglobin determination, comparison of, in identification of gestational diabetes (Shah et al.), 774

Screening tests for gestational diabetes, criteria for (Carpenter and Coustan), 768

Second-look operations in planned management of advanced ovarian carcinoma (Raju et al.), 650

Secretion, gonadotropin, presumptive role for gamma-aminobutyric acid in regulation of, in man (Elias et al.), 72 prolactin, circadian pattern of, in postmenopausal women receiving

estrogen with or without progestin (Chang et al.), 402

Serum alpha-fetoprotein determinations, false negative maternal, in myelodysplasia: role of ultrasound (Platt et al.), 352 (Comm. in brief)

elevated maternal, second-trimester placental changes associated with (Perkes et al.), 935

amniotic fluid, and cord blood of healthy adults, pregnant women, and patients with trophoblastic disease, levels in: radioim munoassay of placental protein 12 (Rutanen, Bohn, and Seppälä), 460

concentration of 1,25-dihydroxyvitamin D₃, fluctuation of, during menstrual cycle (Gray et al.), 880

cortisol levels, human fetal, related to gestational age: evidence of midgestational fall and steep late gestational rise, independent of sex or mode of delivery (Pearson Murphy), 276

estradiol levels and ultrasonic measurement of ovarian follicle size, correlation of, in ovulatory patients following clomiphene citrate for in vitro fertilization (Vargyas et al.), 569

ferritin, elevated, in altered ferrokinetics of toxemia of pregnancy (Entman, Richardson, and Killam), 418

thiocyanate levels, fetal, and maternal passive smoking (Bottoms

Sex or mode of delivery, evidence of midgestational fall and steep late estational rise, independent of: human fetal serum cortisol

levels related to gestational age (Pearson Murphy), 276
steroids, unbound, and sex hormone binding globulin-binding
capacity, changes in, during oral and vaginal progestogen
administration (Granger, Roy, and Mishell), 578
Shock, endotoxic, in primate: some effects of dopamine administra-

tion (Rao and Cavanagh), 61

Shoulder dystocia: fifteen years' experience in community hospital

(Hopwood), 162 Sickle hemoglobinopathies, therapy for pregnant patient with: national focus (Morrison, Blake, and Reed), 268

Smoking, folate, and carotene (Witter et al.), 857 (Comm. in brief) maternal cigarette, psychoactive substance use, and infant Apgar scores (Hingson et al.), 959

passive, and fetal serum thiocyanate levels (Bottoms et al.), 787

Society for Gynecologic Investigation, papers of, 491-618 Somatomammotropin, human chorionic, biologic activity and quantifi-cation of messenger RNA coding for, in normal and intrauterine growth-retarded pregnancies (Hubert, Mondon, and Cedard), 722

South Atlantic Association (The) of Obstetricians and Gynecologists, transactions, forty-fourth annual meeting, 123-176

Sperm phagocytosis by human peritoneal macrophages: possible cause of infertility in endometriosis (Muscato, Haney, and Weinberg), 503

Squamous lesions, intraepithelial, of vulva: biologic and histologic criteria for distinction of condylomas from vulvar intraepithelial neoplasia (Crum et al.), 77

malignancy, cervical, sequential in vitro reactivity of lymphocytes from patients with, in cytotoxicity assay (Dini and Faiferman), 341

ST waveform of fetal lamb electrocardiogram, changes in, with hypoxemia (Greene et al.), 950

Staphylococcus aureus, effect of menses and use of catamenial products on cervical carriage of (Noble, Jacobson, and Smith), 186

Sterilization occlusion techniques, different laparoscopic, comparison of, in 24,439 procedures (Bhiwandiwala, Mumford, and Feldblum), 319

Steroids, unbound sex, and sex hormone binding globulin-binding capacity, changes in, during oral and vaginal progestogen administration (Granger, Roy, and Mishell), 578

Storage, 24-hour, at 4° C, effect of, on amniotic fluid absorbance at 650 nm (Shugar), 854 (Comm. in brief)

Stress urinary incontinence, genuine, significance of urethral vascular pulsations in (Hebert, Francis, and Ostergard), 828

Surfactant "apoproteins" in human amniotic fluid: enzyme-linked immunosorbent assay for prenatal assessment of lung maturity (Shelley et al.), 224

"incomplete," postnatal respiratory difficulties associated with (Penn, Schmidt-Sommerfeld, and Litmeyer), 981 (Comm. in brief)

Surgery, benign gynecologic, redistribution of (Friedrich), 177 results, fertility, at Chapel Hill, North Carolina, prognostic staging and classification system based on five-year survey of: adnexal adhesions (Hulka), 141

Surgical intervention in utero, what is role of: fetal urinary tract obstruction (Berkowitz et al.), 367

Sympathoadrenal activity, maternal, fetal, and neonatal responses after epidural anesthesia in preeclamptic patient (Abboud et al.), 915

Syndrome, amniotic band (Seeds, Cefalo, and Herbert), 243 (Clinical opinion)

megacystis-microcolon-hypoperistalsis, and anechoic areas in fetal abdomen (Nelson and Reiff), 464 Ogilvie's, in post-cesarean section patient (Reece, Petrie, and Hutch-

erson), 849 (Comm. in brief) Turner's, and pelvic endometriosis (Peress et al.), 474 (Comm. in

brief)

Wolff-Parkinson-White, and peripartum cardiomyopathy in pregnant patient (Barfield), 989 (Comm. in brief)

Tachypnea, intrauterine fetal (Romero et al.), 356 (Comm. in brief) Tenting, membrane, role of: failed amniocentesis (Platt, DeVore, and Gimovsky), 479 (Comm. in brief)

Teratomas: concordance in mother and fetus (Rayburn and Barr), 110 (Comm. in brief)

Term, influence of maternal heart rate and gross fetal body movements on daily pattern of fetal heart rate near (Patrick et al.), 533

placenta, human, specific cytosolic estrogen receptor in (Kneussl, Ances, and Albrecht), 803

Tests, five home pregnancy, evaluation of sensitivity of, to known concentrations of human chorionic gonadotropin (Hanlon et al.), 778

Tests-Cont'd

screening, for gestational diabetes, criteria for (Carpenter and Coustan), 768

Testing, antepartum nonstress, spontaneous fetal heart rate decelerations during, and intrauterine growth retardation, association of (Pazos et al.), 574

schemes, antepartum, for management of postdate pregnancy, comparison of (Eden et al.), 683

Thiocyanate levels, fetal serum, and maternal passive smoking (Bottoms et al.), 787

Thrombocytopenia, leukopenia, edema, and proteinuria in infants of preeclamptic mothers (Mirro and Brown), 851 (Comm. in brief)

prenatal prediction of, in infants of mothers with clinically diagnosed immune thrombocytopenia (Kelton et al.), 449

Thromboembolic disease, venous and arterial, in women using oral contraceptives (Miller and Pizzo), 824

Thromboplastin time, modified activated partial, with use of amniotic fluid (Weiner and Brandt), 234

Thrombosis, ovarian vein, and uterine leiomyomas, massive ascites with (Gal et al.), 729 (Comm. in brief)

Thromboxane pathway, platelet, enhanced reactivity of, in normotensive and hypertensive pregnancies with insufficient fetal growth (Wallenburg and Rotmans), 523

Tissue, human chorion-decidua, prolactin binding sites on (McWey, Singhas, and Rogol), 283

rabbit lung, effect of estrogen and progesterone on β-adrenergic receptor activity in (Moawad, River, and Kilpatrick), 608

Tonic myometrial contractures, incidence of, and fetal intravascular Po₂, effect of abolition of fetal movement on, in pregnant ewe at 114 to 134 days' gestation (Nathanielsz, Yu, and Cabalum), 614

Toxemia of pregnancy, elevated serum ferritin in altered ferrokinetics of (Entman, Richardson, and Killam), 418

Transactions, forty-fourth annual meeting, The South Atlantic Association of Obstetricians and Gynecologists, 123-176

Transcutaneous Po₂ and variable heart rate decelerations during umbilical cord occlusion in fetal monkeys (Mueller-Heubach and Battelli), 796

Translocation karyotypes, balanced, in patients with repetitive abortion (Davis et al.), 229

Trial of labor following cesarean section: two-year experience (Meier and Porreco), 671

Trophoblastic disease, fatal gestational: analysis of treatment failures (Lurain et al.), 391

gestational, placental protein 5 in: localization and circulating levels (Nisbet et al.), 396

nonmetastatic gestational, treatment of: results of methotrexate alone versus methotrexate-folinic acid (Smith et al.), 88 patients with, healthy adults, and pregnant women, levels in amniotic fluid, cord blood, and serum of: radioimmunoassay of

placental protein 12 (Rutanen, Bohn, and Seppälä), 460
Trunk and head reconstructions, ultrasonic three-dimensional, fetal
weight estimation from: evaluation in vitro (Brinkley et al.),

Tuberculosis, puerperal, with death of infant (Niles), 131

Tubocutaneous fistula (Wittich, Morales, and Braeuer), 109 (Comm. in brief)

Tumor, desmoid, during pregnancy (Camiel and Solish), 988 (Comm. in brief)

Turner's syndrome and pelvic endometriosis (Peress et al.), 474 (Comm. in brief)

Twin, breech second, management of (Kelsick and Minkoff), 783

U

Ultrasonic appearance, placental, changes in. I. Incidence of Grade III changes in placenta in correlation to fetal pulmonary maturity (Quinlan et al.), 468

II. Pathologic significance of Grade III placental changes (Quinlan et al.), 471

diagnostic criteria: spontaneous intestinal perforation in utero (Shalev et al.), 855 (Comm. in brief)

measurement of femur length as index of fetal gestational age (Yeh et al.), 519

of ovarian follicle size and serum estradiol levels, correlation of, in ovulatory patients following clomiphene citrate for in vitro fertilization (Vargyas et al.), 569

Ultrasonic-Cont'd

three-dimensional head and trunk reconstructions, fetal weight estimation from: evaluation in vitro (Brinkley et al.), 715

Ultrasound fetal femur length in relation to intrauterine growth retardation. Part II (O'Brien and Queenan), 35

live fetus presenting as placenta previa on, coexisting hydatidiform mole with (Yee, Tu, and Platt), 728 (Comm. in brief)

real-time-directed M-mode, diagnosis and significance of pericardial effusion in fetus using, II. Fetal echocardiography (DeVore et al.), 693

normal anatomy as determined by, I. Fetal echocardiography (DeVore et al.), 249

role of: false negative maternal serum alpha-fetoprotein determinations in myelodysplasia (Platt et al.), 352 (Comm. in brief)

use of, in prediction of fetal pulmonary maturity (Petrucha, Golde, and Platt), 931

Umbilical artery prostacyclin formation, reduced, in complicated pregnancies (Dadak et al.), 792

cord blood, β -endorphin and β -lipotropin concentrations in (Shaaban et al.), 560

occlusion, variable heart rate decelerations and transcutaneous Po₂ during, in fetal monkeys (Mueller-Heubach and Battelli), 796

Unicornuate uterus, impaired reproductive performance of: intrauterine growth retardation, infertility, and recurrent abortion in five cases (Andrews and Jones), 173

United States, complications of abdominal and vaginal hysterectomy among women of reproductive age in (Dicker et al.), 841

Unstable female urethra (Ulmsten, Henriksson, and Iosif), 93 Urban and rural hospitals, comparison of cesarean section morbidity in (Richards and Richards), 270

Urethra, unstable female (Ulmsten, Henriksson, and Iosif), 93 Urethral pressure profile in pregnancy and after delivery in healthy

nulliparous women (van Geelen et al.), 636 vascular pulsations, significance of, in genuine stress urinary incontinence (Hebert, Francis, and Ostergard), 828

Urethrocystometry and voiding urethrocystography, simultaneous, location of maximum intraurethral pressure related to urogenital diaphragm in female subject as studied by (Westby, Asmussen, and Ulmsten), 408

Urinary free 18-hydroxycorticosterone, plasma aldosterone, and urinary aldosterone metabolites in normal pregnancy (Bauknecht et al.), 28

tract obstruction, fetal, what is role of surgical intervention in utero (Berkowitz et al.), 367

Urogenital diaphragm, location of maximum intraurethral pressure related to, in female subject as studied by simultaneous urethrocystometry and voiding urethrocystography (Westby, Asmussen, and Ulmsten), 408

Uterine blood flow, effect of vasoactive intestinal polypeptide on, in pregnant ewes (Clark, Austin, and Stys), 497

hemodynamic response to repetitive unilateral vascular embolization in pregnant ewe (Clapp et al.), 309

incision, abdominal delivery without, or laparoelytrotomy (Goodlin et al.), 990 (Comm. in brief)

leiomyomas and ovarian vein thrombosis, massive ascites with (Gal et al.), 729 (Comm. in brief)

and peripheral blood concentrations of vasodilator prostaglandins in conscious pregnant rabbits (Chaudhuri et al.), 760

Uteroplacental blood flow in diabetic pregnancy: measurements with indium 113m and computer-linked gamma camera (Nylund et al.), 298

Uterus, leiomyosarcoma of (Van Dinh and Woodruff), 817 postpartum, effects of nifedipine on oxytocin- and prostaglandin $F_{2\alpha}$ -induced activity in (Forman et al.), 665

unicornuate, impaired reproductive performance of: intrauterine growth retardation, infertility, and recurrent abortion in five cases (Andrews and Jones), 173

V

Vagina of mouse, heterotopic columnar epithelium and adenosis in, after neonatal treatment with clomiphene citrate (Gorwill, Steele, and Sarda), 529

Vaginal hysterectomy, abdominal and, complications of, among women of reproductive age in United States (Dicker et al.), 841

- Vaginal-Cont'd
- and oral progestogen administration, changes in unbound sex steroids and sex hormone binding globulin-binding capac-ity during (Granger, Roy, and Mishell), 578 Variability, fetal heart rate, and maternal hemodynamics, significant
- correlation between (Kariniemi et al.), 43
- Variable heart rate decelerations and transcutaneous Po2 during umbilical cord occlusion in fetal monkeys (Mueller-Heubach and Battelli), 796
- Vascular embolization, repetitive unilateral, uterine hemodynamic response to, in pregnant ewe (Clapp et al.), 309
- pulsations, urethral, significance of, in genuine stress urinary incontinence (Hebert, Francis, and Ostergard), 828
- Vasoactive intestinal polypeptide, effect of, on uterine blood flow in pregnant ewes (Clark, Austin, and Stys), 497
- Vasodilator prostaglandins, uterine and peripheral blood concentra-tions of, in conscious pregnant rabbits (Chaudhuri et al.), 760
- Vein thrombosis, ovarian, and uterine leiomyomas, massive ascites with (Gal et al.), 729 (Comm. in brief)
- Venous and arterial thromboembolic disease in women using oral contraceptives (Miller and Pizzo), 824
- blood flow distribution, portal, to liver and ductus venosus in newborn lambs (Botti et al.), 303
- Virulence, histologic correlates of, in ovarian adenocarcinoma. II. Morphologic correlates of host response (Deligdisch, Jacobs, and Cohen), 885
- Virus type 2, herpes simplex, effect of prostaglandins on multiplication and cell-to-cell spread of, in vitro (Baker et al.),

- Voiding urethrocystography and urethrocystometry, simultaneous, location of maximum intraurethral pressure related to urogenital diaphragm in female subject as studied by (Westby, Asmussen, and Ulmsten), 408
- Volume expanders and magnesium sulfate, preliminary report on treatment of severe preeclampsia-eclampsia with (Liu), 983 (Comm. in brief)
- Vulva, intraepithelial squamous lesions of: biologic and histologic criteria for distinction of condylomas from vulvar intraepithe-
- lial neoplasia (Crum et al.), 77 Vulvar intraepithelial neoplasia, biologic and histologic criteria for distinction of condylomas from: intraepithelial squamous lesions of vulva (Crum et al.), 77

- Waveform, ST, of fetal lamb electrocardiogram, changes in, with hypoxemia (Greene et al.), 950
- Weight, birth, determinants of (Dougherty and Jones), 190 estimation, fetal, from ultrasonic three-dimensional head and trunk
- reconstructions: evaluation in vitro (Brinkley et al.), 715
- Wolff-Parkinson-White syndrome and peripartum cardiomyopathy in pregnant patient (Barfield), 989 (Comm. in brief)

- Young women with dysmenorrhea, epidemiologic study of (Andersch and Milsom), 655
- Yutopar (ritodrine hydrochloride), severe hemolytic anemia, leukemoid reaction, acidosis, hypokalemia, and transient hepatitis associated with administration of (Alcena), 852 (Comm.

